LOUISIANA - SOUTH ZONE
Extension of 2½ Minute Intersections

The attached tables are an extension of the 2½ minute intersections of meridians and parallels for the State plane coordinate south zone of Louisiana.

The limits of these tables are as follows:

Latitude	27°	45'	00"	to	28°	57'	30"
Longitude	88	40	00	to	94	00	00

It should be noted that y-coordinates are negative south of latitude 28° 40'.

The basic projection tables for Louisiana, Special Publication No. 291, and Special Publication No. 329 (2½ minute intersections for Louisiana) may be obtained from the Superintendant of Documents, U. S. Government Printing Office, Washington, D. C.

These extension tables may be obtained from:

Chief, Geodesy Division
ESSA - Coast and Geodetic Survey
Rockville, Maryland 20852

LOUISIANA - SOUTH ZONE

STATE PLANE COORDINATES FOR 2½-MINUTE INTERSECTIONS

FEET

LONGITUDE	LATITUDE 27 45 00 X	LATITUDE 27 45 00 Y	LATITUDE 27 47 30 X	LATITUDE 27 47 30 Y
88 40 00	2 863 066.86	- 323 375.99	2 862 714.14	- 308 221.83
88 42 30	2 849 583.82	- 323 687.37	2 849 236.61	- 308 533.08
88 45 00	2 836 100.66	- 323 993.84	2 835 758.96	- 308 839.43
88 47 30	2 822 617.40	- 324 295.42	2 822 281.20	- 309 140.87
88 50 00	2 809 134.02	- 324 592.08	2 808 803.34	- 309 437.42
88 52 30	2 795 650.55	- 324 883.85	2 795 325.37	- 309 729.07
88 55 00	2 782 166.96	- 325 170.71	2 781 847.30	- 310 015.81
88 57 30	2 768 683.27	- 325 452.67	2 768 369.12	- 310 297.66
89 00 00	2 755 199.48	- 325 729.73	2 754 890.84	- 310 574.60

LONGITUDE	LATITUDE 27 50 00 X	LATITUDE 27 50 00 Y	LATITUDE 27 52 30 X	LATITUDE 27 52 30 Y
88 40 00	2 862 361.42	- 293 067.99	2 862 008.71	- 277 914.46
88 42 30	2 848 889.40	- 293 379.11	2 848 542.20	- 278 225.46
88 45 00	2 835 417.26	- 293 685.34	2 835 075.57	- 278 531.56
88 47 30	2 821 945.02	- 293 986.66	2 821 608.84	- 278 832.76
88 50 00	2 808 472.66	- 294 283.09	2 808 141.99	- 279 129.07
88 52 30	2 795 000.21	- 294 574.61	2 794 675.05	- 279 420.47
88 55 00	2 781 527.64	- 294 861.24	2 781 207.99	- 279 706.98
88 57 30	2 768 054.97	- 295 142.98	2 767 740.83	- 279 988.60
89 00 00	2 754 582.20	- 295 419.80	2 754 273.57	- 280 265.32

LONGITUDE	LATITUDE 27 55 00 X	LATITUDE 27 55 00 Y	LATITUDE 27 57 30 X	LATITUDE 27 57 30 Y
88 40 00	2 861 656.00	- 262 761.26	2 861 303.31	- 247 608.34
88 42 30	2 848 195.01	- 263 072.13	2 847 847.82	- 247 919.08
88 45 00	2 834 733.88	- 263 378.10	2 834 392.21	- 248 224.93
88 47 30	2 821 272.66	- 263 679.18	2 820 936.50	- 248 525.89
88 50 00	2 807 811.33	- 263 975.36	2 807 480.67	- 248 821.95
88 52 30	2 794 349.89	- 264 266.65	2 794 024.75	- 249 113.12
88 55 00	2 780 888.35	- 264 553.04	2 780 568.71	- 249 399.39
88 57 30	2 767 426.70	- 264 834.55	2 767 112.58	- 249 680.78
89 00 00	2 753 964.95	- 265 111.15	2 753 656.34	- 249 957.27

LOUISIANA - SOUTH ZONE

STATE PLANE COORDINATES FOR 2½-MINUTE INTERSECTIONS

FEET

LONGITUDE	LATITUDE 27 45 00 X		LATITUDE 27 45 00 Y		LATITUDE 27 47 30 X		LATITUDE 27 47 30 Y	
89 00 00	2 755	199.48	- 325	729.73	2 754	890.84	- 310	574.60
89 02 30	2 741	715.59	- 326	001.88	2 741	412.46	- 310	846.65
89 05 00	2 728	231.60	- 326	269.13	2 727	933.98	- 311	113.79
89 07 30	2 714	747.52	- 326	531.48	2 714	455.41	- 311	376.03
89 10 00	2 701	263.34	- 326	788.93	2 700	976.74	- 311	633.37
89 12 30	2 687	779.06	- 327	041.47	2 687	497.98	- 311	885.81
89 15 00	2 674	294.70	- 327	289.11	2 674	019.12	- 312	133.34
89 17 30	2 660	810.25	- 327	531.84	2 660	540.18	- 312	375.98
89 20 00	2 647	325.71	- 327	769.67	2 647	061.15	- 312	613.71
89 22 30	2 633	841.08	- 328	002.60	2 633	582.04	- 312	846.55
89 25 00	2 620	356.37	- 328	230.63	2 620	102.84	- 313	074.48
89 27 30	2 606	871.58	- 328	453.75	2 606	623.56	- 313	297.51
89 30 00	2 593	386.71	- 328	671.97	2 593	144.20	- 313	515.64
89 32 30	2 579	901.76	- 328	885.28	2 579	664.76	- 313	728.87
89 35 00	2 566	416.74	- 329	093.70	2 566	185.25	- 313	937.19
89 37 30	2 552	931.63	- 329	297.20	2 552	705.66	- 314	140.62
89 40 00	2 539	446.46	- 329	495.81	2 539	225.99	- 314	339.14
89 42 30	2 525	961.21	- 329	689.51	2 525	746.26	- 314	532.77
89 45 00	2 512	475.90	- 329	878.31	2 512	266.46	- 314	721.49
89 47 30	2 498	990.52	- 330	062.20	2 498	786.58	- 314	905.31
89 50 00	2 485	505.07	- 330	241.19	2 485	306.65	- 315	084.22
89 52 30	2 472	019.55	- 330	415.28	2 471	826.64	- 315	258.24
89 55 00	2 458	533.98	- 330	584.46	2 458	346.58	- 315	427.35
89 57 30	2 445	048.34	- 330	748.74	2 444	866.45	- 315	591.57
90 00 00	2 431	562.64	- 330	908.12	2 431	386.27	- 315	750.88

LONGITUDE	LATITUDE 27 50 00 X		LATITUDE 27 50 00 Y		LATITUDE 27 52 30 X		LATITUDE 27 52 30 Y	
89 00 00	2 754	582.20	- 295	419.80	2 754	273.57	- 280	265.32
89 02 30	2 741	109.33	- 295	691.73	2 740	806.22	- 280	537.14
89 05 00	2 727	636.37	- 295	958.77	2 727	338.76	- 280	804.06
89 07 30	2 714	163.30	- 296	220.90	2 713	871.21	- 281	066.09
89 10 00	2 700	690.15	- 296	478.13	2 700	403.56	- 281	323.22
89 12 30	2 687	216.89	- 296	730.47	2 686	935.82	- 281	575.45
89 15 00	2 673	743.55	- 296	977.90	2 673	467.99	- 281	822.78
89 17 30	2 660	270.12	- 297	220.44	2 660	000.07	- 282	065.22
89 20 00	2 646	796.60	- 297	458.08	2 646	532.06	- 282	302.76
89 22 30	2 633	323.00	- 297	690.82	2 633	063.97	- 282	535.40
89 25 00	2 619	849.31	- 297	918.66	2 619	595.79	- 282	763.15
89 27 30	2 606	375.55	- 298	141.60	2 606	127.53	- 282	986.00
89 30 00	2 592	901.70	- 298	359.64	2 592	659.20	- 283	203.95
89 32 30	2 579	427.77	- 298	572.78	2 579	190.78	- 283	417.00
89 35 00	2 565	953.76	- 298	781.02	2 565	722.29	- 283	625.16
89 37 30	2 552	479.68	- 298	984.36	2 552	253.72	- 283	828.42
89 40 00	2 539	005.53	- 299	182.80	2 538	785.08	- 284	026.78
89 42 30	2 525	531.31	- 299	376.35	2 525	316.36	- 284	220.24
89 45 00	2 512	057.02	- 299	564.99	2 511	847.58	- 284	408.81
89 47 30	2 498	582.66	- 299	748.73	2 498	378.73	- 284	592.48
89 50 00	2 485	108.23	- 299	927.58	2 484	909.82	- 284	771.25
89 52 30	2 471	633.74	- 300	101.52	2 471	440.84	- 284	945.13
89 55 00	2 458	159.19	- 300	270.57	2 457	971.80	- 285	114.10
89 57 30	2 444	684.57	- 300	434.72	2 444	502.69	- 285	278.18
90 00 00	2 431	209.90	- 300	593.96	2 431	033.53	- 285	437.36

LONGITUDE	LATITUDE 27 55 00 X		LATITUDE 27 55 00 Y		LATITUDE 27 57 30 X		LATITUDE 27 57 30 Y	
89 00 00	2 753	964.95	- 265	111.15	2 753	656.34	- 249	957.27
89 02 30	2 740	503.10	- 265	382.85	2 740	200.00	- 250	228.87
89 05 00	2 727	041.16	- 265	649.67	2 726	743.56	- 250	495.57
89 07 30	2 713	579.12	- 265	911.59	2 713	287.03	- 250	757.39
89 10 00	2 700	116.98	- 266	168.61	2 699	830.40	- 251	014.30
89 12 30	2 686	654.75	- 266	420.74	2 686	373.68	- 251	266.33
89 15 00	2 673	192.43	- 266	667.97	2 672	916.87	- 251	513.46
89 17 30	2 659	730.02	- 266	910.31	2 659	459.98	- 251	755.70
89 20 00	2 646	267.52	- 267	147.75	2 646	002.99	- 251	993.05
89 22 30	2 632	804.94	- 267	380.30	2 632	545.92	- 252	225.50
89 25 00	2 619	342.28	- 267	607.95	2 619	088.76	- 252	453.06
89 27 30	2 605	879.53	- 267	830.71	2 605	631.53	- 252	675.73
89 30 00	2 592	416.70	- 268	048.57	2 592	174.21	- 252	893.50
89 32 30	2 578	953.79	- 268	261.54	2 578	716.81	- 253	106.38
89 35 00	2 565	490.81	- 268	469.61	2 565	259.34	- 253	314.36
89 37 30	2 552	027.75	- 268	672.79	2 551	801.80	- 253	517.46
89 40 00	2 538	564.62	- 268	871.07	2 538	344.18	- 253	715.65
89 42 30	2 525	101.42	- 269	064.45	2 524	886.49	- 253	908.96
89 45 00	2 511	638.15	- 269	252.94	2 511	428.73	- 254	097.37
89 47 30	2 498	174.81	- 269	436.53	2 497	970.90	- 254	280.89
89 50 00	2 484	711.41	- 269	615.23	2 484	513.00	- 254	459.52
89 52 30	2 471	247.94	- 269	789.04	2 471	055.05	- 254	633.25
89 55 00	2 457	784.41	- 269	957.94	2 457	597.03	- 254	802.09
89 57 30	2 444	320.82	- 270	121.95	2 444	138.95	- 254	966.03
90 00 00	2 430	857.17	- 270	281.07	2 430	680.81	- 255	125.08

LOUISIANA - SOUTH ZONE

STATE PLANE COORDINATES FOR 2½-MINUTE INTERSECTIONS

FEET

LONGITUDE	LATITUDE 27 45 00 X	Y	LATITUDE 27 47 30 X	Y
90 00 00	2 431 562.64	- 330 908.12	2 431 386.27	- 315 750.88
90 02 30	2 418 076.89	- 331 062.59	2 417 906.03	- 315 905.28
90 05 00	2 404 591.08	- 331 212.16	2 404 425.73	- 316 054.79
90 07 30	2 391 105.22	- 331 356.83	2 390 945.38	- 316 199.40
90 10 00	2 377 619.31	- 331 496.59	2 377 464.99	- 316 339.10
90 12 30	2 364 133.35	- 331 631.45	2 363 984.53	- 316 473.91
90 15 00	2 350 647.34	- 331 761.40	2 350 504.04	- 316 603.80
90 17 30	2 337 161.28	- 331 886.45	2 337 023.49	- 316 728.81
90 20 00	2 323 675.18	- 332 006.60	2 323 542.90	- 316 848.91
90 22 30	2 310 189.03	- 332 121.84	2 310 062.26	- 316 964.10
90 25 00	2 296 702.85	- 332 232.18	2 296 581.59	- 317 074.39
90 27 30	2 283 216.63	- 332 337.61	2 283 100.88	- 317 179.78
90 30 00	2 269 730.36	- 332 438.14	2 269 620.13	- 317 280.27
90 32 30	2 256 244.06	- 332 533.77	2 256 139.34	- 317 375.86
90 35 00	2 242 757.73	- 332 624.50	2 242 658.52	- 317 466.55
90 37 30	2 229 271.37	- 332 710.31	2 229 177.67	- 317 552.33
90 40 00	2 215 784.98	- 332 791.23	2 215 696.79	- 317 633.22
90 42 30	2 202 298.55	- 332 867.24	2 202 215.87	- 317 709.20
90 45 00	2 188 812.10	- 332 938.35	2 188 734.94	- 317 780.28
90 47 30	2 175 325.63	- 333 004.56	2 175 253.97	- 317 846.46
90 50 00	2 161 839.13	- 333 065.85	2 161 772.99	- 317 907.73
90 52 30	2 148 352.61	- 333 122.25	2 148 291.98	- 317 964.10
90 55 00	2 134 866.08	- 333 173.74	2 134 810.96	- 318 015.57
90 57 30	2 121 379.52	- 333 220.33	2 121 329.91	- 318 062.14
91 00 00	2 107 892.95	- 333 262.01	2 107 848.85	- 318 103.81

LONGITUDE	LATITUDE 27 50 00 X	Y	LATITUDE 27 52 30 X	Y
90 00 00	2 431 209.90	- 300 593.96	2 431 033.53	- 285 437.36
90 02 30	2 417 735.17	- 300 748.31	2 417 564.31	- 285 591.64
90 05 00	2 404 260.38	- 300 897.75	2 404 095.04	- 285 741.03
90 07 30	2 390 785.55	- 301 042.30	2 390 625.71	- 285 885.51
90 10 00	2 377 310.66	- 301 181.95	2 377 156.34	- 286 025.11
90 12 30	2 363 835.72	- 301 316.70	2 363 686.91	- 286 159.80
90 15 00	2 350 360.73	- 301 446.54	2 350 217.43	- 286 289.59
90 17 30	2 336 885.69	- 301 571.49	2 336 747.91	- 286 414.49
90 20 00	2 323 410.62	- 301 691.54	2 323 278.34	- 286 534.49
90 22 30	2 309 935.49	- 301 806.69	2 309 808.73	- 286 649.59
90 25 00	2 296 460.34	- 301 916.94	2 296 339.08	- 286 759.79
90 27 30	2 282 985.13	- 302 022.29	2 282 869.39	- 286 865.10
90 30 00	2 269 509.89	- 302 122.73	2 269 399.66	- 286 965.50
90 32 30	2 256 034.62	- 302 218.29	2 255 929.90	- 287 061.02
90 35 00	2 242 559.31	- 302 308.93	2 242 460.10	- 287 151.63
90 37 30	2 229 083.97	- 302 394.68	2 228 990.27	- 287 237.34
90 40 00	2 215 608.60	- 302 475.53	2 215 520.41	- 287 318.16
90 42 30	2 202 133.20	- 302 551.48	2 202 050.52	- 287 394.08
90 45 00	2 188 657.77	- 302 622.53	2 188 580.61	- 287 465.10
90 47 30	2 175 182.32	- 302 688.68	2 175 110.67	- 287 531.22
90 50 00	2 161 706.84	- 302 749.93	2 161 640.71	- 287 592.44
90 52 30	2 148 231.35	- 302 806.28	2 148 170.72	- 287 648.77
90 55 00	2 134 755.84	- 302 857.73	2 134 700.72	- 287 700.20
90 57 30	2 121 280.30	- 302 904.28	2 121 230.70	- 287 746.73
91 00 00	2 107 804.76	- 302 945.93	2 107 760.66	- 287 788.36

LONGITUDE	LATITUDE 27 55 00 X	Y	LATITUDE 27 57 30 X	Y
90 00 00	2 430 857.17	- 270 281.07	2 430 680.81	- 255 125.08
90 02 30	2 417 393.46	- 270 435.29	2 417 222.61	- 255 279.24
90 05 00	2 403 929.70	- 270 584.62	2 403 764.36	- 255 428.50
90 07 30	2 390 465.88	- 270 729.05	2 390 306.06	- 255 572.87
90 10 00	2 377 002.02	- 270 868.58	2 376 847.70	- 255 712.35
90 12 30	2 363 538.10	- 271 003.22	2 363 389.29	- 255 846.93
90 15 00	2 350 074.14	- 271 132.96	2 349 930.84	- 255 976.61
90 17 30	2 336 610.12	- 271 257.80	2 336 472.34	- 256 101.41
90 20 00	2 323 146.07	- 271 377.76	2 323 013.79	- 256 221.31
90 22 30	2 309 681.96	- 271 492.81	2 309 555.20	- 256 336.32
90 25 00	2 296 217.83	- 271 602.97	2 296 096.58	- 256 446.43
90 27 30	2 282 753.65	- 271 708.23	2 282 637.91	- 256 551.65
90 30 00	2 269 289.43	- 271 808.59	2 269 179.21	- 256 651.97
90 32 30	2 255 825.18	- 271 904.07	2 255 720.46	- 256 747.41
90 35 00	2 242 360.90	- 271 994.64	2 242 261.69	- 256 837.95
90 37 30	2 228 896.58	- 272 080.32	2 228 802.88	- 256 923.59
90 40 00	2 215 432.23	- 272 161.11	2 215 344.05	- 257 004.34
90 42 30	2 201 967.85	- 272 236.99	2 201 885.18	- 257 080.20
90 45 00	2 188 503.45	- 272 307.99	2 188 426.29	- 257 151.16
90 47 30	2 175 039.02	- 272 374.08	2 174 967.37	- 257 217.23
90 50 00	2 161 574.57	- 272 435.28	2 161 508.43	- 257 278.40
90 52 30	2 148 110.10	- 272 491.58	2 148 049.47	- 257 334.69
90 55 00	2 134 645.61	- 272 542.99	2 134 590.50	- 257 386.07
90 57 30	2 121 181.10	- 272 589.51	2 121 131.49	- 257 432.57
91 00 00	2 107 716.57	- 272 631.12	2 107 672.48	- 257 474.16

LOUISIANA - SOUTH ZONE

STATE PLANE COORDINATES FOR 2½-MINUTE INTERSECTIONS

FEET

LONGITUDE	LATITUDE 27 45 00 X	LATITUDE 27 45 00 Y	LATITUDE 27 47 30 X	LATITUDE 27 47 30 Y
91 00 00	2 107 892.95	- 333 262.01	2 107 848.85	- 318 103.81
91 02 30	2 094 406.36	- 333 298.79	2 094 367.77	- 318 140.57
91 05 00	2 080 919.76	- 333 330.67	2 080 886.69	- 318 172.43
91 07 30	2 067 433.15	- 333 357.64	2 067 405.59	- 318 199.39
91 10 00	2 053 946.53	- 333 379.71	2 053 924.48	- 318 221.45
91 12 30	2 040 459.90	- 333 396.87	2 040 443.37	- 318 238.61
91 15 00	2 026 973.27	- 333 409.13	2 026 962.25	- 318 250.87
91 17 30	2 013 486.64	- 333 416.48	2 013 481.13	- 318 258.22
91 20 00	2 000 000.00	- 333 418.94	2 000 000.00	- 318 260.67
91 22 30	1 986 513.36	- 333 416.48	1 986 518.87	- 318 258.22
91 25 00	1 973 026.73	- 333 409.13	1 973 037.75	- 318 250.87
91 27 30	1 959 540.10	- 333 396.87	1 959 556.63	- 318 238.61
91 30 00	1 946 053.47	- 333 379.71	1 946 075.52	- 318 221.45
91 32 30	1 932 566.85	- 333 357.64	1 932 594.41	- 318 199.39
91 35 00	1 919 080.24	- 333 330.67	1 919 113.31	- 318 172.43
91 37 30	1 905 593.64	- 333 298.79	1 905 632.23	- 318 140.57
91 40 00	1 892 107.05	- 333 262.01	1 892 151.15	- 318 103.81
91 42 30	1 878 620.48	- 333 220.33	1 878 670.09	- 318 062.14
91 45 00	1 865 133.92	- 333 173.74	1 865 189.04	- 318 015.57
91 47 30	1 851 647.39	- 333 122.25	1 851 708.02	- 317 964.10
91 50 00	1 838 160.87	- 333 065.85	1 838 227.01	- 317 907.73
91 52 30	1 824 674.37	- 333 004.56	1 824 746.03	- 317 846.46
91 55 00	1 811 187.90	- 332 938.35	1 811 265.06	- 317 780.28
91 57 30	1 797 701.45	- 332 867.24	1 797 784.13	- 317 709.20
92 00 00	1 784 215.02	- 332 791.23	1 784 303.21	- 317 633.22

LONGITUDE	LATITUDE 27 50 00 X	LATITUDE 27 50 00 Y	LATITUDE 27 52 30 X	LATITUDE 27 52 30 Y
91 00 00	2 107 804.76	- 302 945.93	2 107 760.66	- 287 788.36
91 02 30	2 094 329.19	- 302 982.68	2 094 290.61	- 287 825.10
91 05 00	2 080 853.62	- 303 014.53	2 080 820.55	- 287 856.93
91 07 30	2 067 378.03	- 303 041.48	2 067 350.47	- 287 883.87
91 10 00	2 053 902.44	- 303 063.53	2 053 880.39	- 287 905.91
91 12 30	2 040 426.83	- 303 080.68	2 040 410.30	- 287 923.06
91 15 00	2 026 951.22	- 303 092.93	2 026 940.20	- 287 935.31
91 17 30	2 013 475.61	- 303 100.28	2 013 470.10	- 287 942.65
91 20 00	2 000 000.00	- 303 102.73	2 000 000.00	- 287 945.10
91 22 30	1 986 524.39	- 303 100.28	1 986 529.90	- 287 942.65
91 25 00	1 973 048.78	- 303 092.93	1 973 059.80	- 287 935.31
91 27 30	1 959 573.17	- 303 080.68	1 959 589.70	- 287 923.06
91 30 00	1 946 097.56	- 303 063.53	1 946 119.61	- 287 905.91
91 32 30	1 932 621.97	- 303 041.48	1 932 649.53	- 287 883.87
91 35 00	1 919 146.38	- 303 014.53	1 919 179.45	- 287 856.93
91 37 30	1 905 670.81	- 302 982.68	1 905 709.39	- 287 825.10
91 40 00	1 892 195.24	- 302 945.93	1 892 239.34	- 287 788.36
91 42 30	1 878 719.70	- 302 904.28	1 878 769.30	- 287 746.73
91 45 00	1 865 244.16	- 302 857.73	1 865 299.28	- 287 700.20
91 47 30	1 851 768.65	- 302 806.28	1 851 829.28	- 287 648.77
91 50 00	1 838 293.16	- 302 749.93	1 838 359.29	- 287 592.44
91 52 30	1 824 817.68	- 302 688.68	1 824 889.33	- 287 531.22
91 55 00	1 811 342.23	- 302 622.53	1 811 419.39	- 287 465.10
91 57 30	1 797 866.80	- 302 551.48	1 797 949.48	- 287 394.08
92 00 00	1 784 391.40	- 302 475.53	1 784 479.59	- 287 318.16

LONGITUDE	LATITUDE 27 55 00 X	LATITUDE 27 55 00 Y	LATITUDE 27 57 30 X	LATITUDE 27 57 30 Y
91 00 00	2 107 716.57	- 272 631.12	2 107 672.48	- 257 474.16
91 02 30	2 094 252.03	- 272 667.84	2 094 213.45	- 257 510.87
91 05 00	2 080 787.48	- 272 699.66	2 080 754.41	- 257 542.68
91 07 30	2 067 322.92	- 272 726.59	2 067 295.36	- 257 569.59
91 10 00	2 053 858.34	- 272 748.62	2 053 836.30	- 257 591.62
91 12 30	2 040 393.76	- 272 765.76	2 040 377.23	- 257 608.75
91 15 00	2 026 929.18	- 272 778.00	2 026 918.15	- 257 620.98
91 17 30	2 013 464.59	- 272 785.34	2 013 459.08	- 257 628.32
91 20 00	2 000 000.00	- 272 787.79	2 000 000.00	- 257 630.77
91 22 30	1 986 535.41	- 272 785.34	1 986 540.92	- 257 628.32
91 25 00	1 973 070.82	- 272 778.00	1 973 081.85	- 257 620.98
91 27 30	1 959 606.24	- 272 765.76	1 959 622.77	- 257 608.75
91 30 00	1 946 141.66	- 272 748.62	1 946 163.70	- 257 591.62
91 32 30	1 932 677.08	- 272 726.59	1 932 704.64	- 257 569.59
91 35 00	1 919 212.52	- 272 699.66	1 919 245.59	- 257 542.68
91 37 30	1 905 747.97	- 272 667.84	1 905 786.55	- 257 510.87
91 40 00	1 892 283.43	- 272 631.12	1 892 327.52	- 257 474.16
91 42 30	1 878 818.90	- 272 589.51	1 878 868.51	- 257 432.57
91 45 00	1 865 354.39	- 272 542.99	1 865 409.50	- 257 386.07
91 47 30	1 851 889.90	- 272 491.58	1 851 950.53	- 257 334.69
91 50 00	1 838 425.43	- 272 435.28	1 838 491.57	- 257 278.40
91 52 30	1 824 960.98	- 272 374.08	1 825 032.63	- 257 217.23
91 55 00	1 811 496.55	- 272 307.99	1 811 573.71	- 257 151.16
91 57 30	1 798 032.15	- 272 236.99	1 798 114.82	- 257 080.20
92 00 00	1 784 567.77	- 272 161.11	1 784 655.95	- 257 004.34

LOUISIANA - SOUTH ZONE

STATE PLANE COORDINATES FOR 2½-MINUTE INTERSECTIONS

FEET

LONGITUDE	LATITUDE 27 45 00 X	LATITUDE 27 45 00 Y	LATITUDE 27 47 30 X	LATITUDE 27 47 30 Y
92 00 00	1 784 215.02	- 332 791.23	1 784 303.21	- 317 633.22
92 02 30	1 770 728.63	- 332 710.31	1 770 822.33	- 317 552.33
92 05 00	1 757 242.27	- 332 624.50	1 757 341.48	- 317 466.55
92 07 30	1 743 755.94	- 332 533.77	1 743 860.66	- 317 375.86
92 10 00	1 730 269.64	- 332 438.14	1 730 379.87	- 317 280.27
92 12 30	1 716 783.37	- 332 337.61	1 716 899.12	- 317 179.78
92 15 00	1 703 297.15	- 332 232.18	1 703 418.41	- 317 074.39
92 17 30	1 689 810.97	- 332 121.84	1 689 937.74	- 316 964.10
92 20 00	1 676 324.82	- 332 006.60	1 676 457.10	- 316 848.91
92 22 30	1 662 838.72	- 331 886.45	1 662 976.51	- 316 728.81
92 25 00	1 649 352.66	- 331 761.40	1 649 495.96	- 316 603.80
92 27 30	1 635 866.65	- 331 631.45	1 636 015.47	- 316 473.91
92 30 00	1 622 380.69	- 331 496.59	1 622 535.01	- 316 339.10
92 32 30	1 608 894.78	- 331 356.83	1 609 054.62	- 316 199.40
92 35 00	1 595 408.92	- 331 212.16	1 595 574.27	- 316 054.79
92 37 30	1 581 923.11	- 331 062.59	1 582 093.97	- 315 905.28
92 40 00	1 568 437.36	- 330 908.12	1 568 613.73	- 315 750.88
92 42 30	1 554 951.66	- 330 748.74	1 555 133.55	- 315 591.57
92 45 00	1 541 466.02	- 330 584.46	1 541 653.42	- 315 427.35
92 47 30	1 527 980.45	- 330 415.28	1 528 173.36	- 315 258.23
92 50 00	1 514 494.94	- 330 241.19	1 514 693.36	- 315 084.22
92 52 30	1 501 009.49	- 330 062.20	1 501 213.42	- 314 905.30
92 55 00	1 487 524.10	- 329 878.31	1 487 733.55	- 314 721.49
92 57 30	1 474 038.78	- 329 689.51	1 474 253.74	- 314 532.76
93 00 00	1 460 553.54	- 329 495.81	1 460 774.00	- 314 339.14

LONGITUDE	LATITUDE 27 50 00 X	LATITUDE 27 50 00 Y	LATITUDE 27 52 30 X	LATITUDE 27 52 30 Y
92 00 00	1 784 391.40	- 302 475.53	1 784 479.59	- 287 318.16
92 02 30	1 770 916.03	- 302 394.68	1 771 009.73	- 287 237.34
92 05 00	1 757 440.69	- 302 308.93	1 757 539.90	- 287 151.63
92 07 30	1 743 965.38	- 302 218.29	1 744 070.10	- 287 061.02
92 10 00	1 730 490.11	- 302 122.73	1 730 600.34	- 286 965.50
92 12 30	1 717 014.87	- 302 022.29	1 717 130.61	- 286 865.10
92 15 00	1 703 539.66	- 301 916.94	1 703 660.92	- 286 759.79
92 17 30	1 690 064.51	- 301 806.69	1 690 191.27	- 286 649.59
92 20 00	1 676 589.38	- 301 691.54	1 676 721.66	- 286 534.49
92 22 30	1 663 114.31	- 301 571.49	1 663 252.09	- 286 414.49
92 25 00	1 649 639.27	- 301 446.54	1 649 782.57	- 286 289.59
92 27 30	1 636 164.28	- 301 316.70	1 636 313.09	- 286 159.80
92 30 00	1 622 689.34	- 301 181.95	1 622 843.66	- 286 025.11
92 32 30	1 609 214.45	- 301 042.30	1 609 374.29	- 285 885.51
92 35 00	1 595 739.62	- 300 897.75	1 595 904.96	- 285 741.03
92 37 30	1 582 264.83	- 300 748.31	1 582 435.69	- 285 591.64
92 40 00	1 568 790.10	- 300 593.96	1 568 966.47	- 285 437.36
92 42 30	1 555 315.43	- 300 434.72	1 555 497.31	- 285 278.18
92 45 00	1 541 840.81	- 300 270.57	1 542 028.20	- 285 114.10
92 47 30	1 528 366.26	- 300 101.52	1 528 559.16	- 284 945.12
92 50 00	1 514 891.77	- 299 927.58	1 515 090.18	- 284 771.25
92 52 30	1 501 417.34	- 299 748.73	1 501 621.27	- 284 592.48
92 55 00	1 487 942.98	- 299 564.99	1 488 152.42	- 284 408.81
92 57 30	1 474 468.69	- 299 376.34	1 474 683.64	- 284 220.24
93 00 00	1 460 994.47	- 299 182.80	1 461 214.92	- 284 026.78

LONGITUDE	LATITUDE 27 55 00 X	LATITUDE 27 55 00 Y	LATITUDE 27 57 30 X	LATITUDE 27 57 30 Y
92 00 00	1 784 567.77	- 272 161.11	1 784 655.95	- 257 004.34
92 02 30	1 771 103.42	- 272 080.32	1 771 197.12	- 256 923.59
92 05 00	1 757 639.10	- 271 994.64	1 757 738.31	- 256 837.95
92 07 30	1 744 174.82	- 271 904.07	1 744 279.54	- 256 747.41
92 10 00	1 730 710.57	- 271 808.59	1 730 820.79	- 256 651.97
92 12 30	1 717 246.35	- 271 708.23	1 717 362.09	- 256 551.65
92 15 00	1 703 782.17	- 271 602.97	1 703 903.42	- 256 446.43
92 17 30	1 690 318.04	- 271 492.81	1 690 444.80	- 256 336.32
92 20 00	1 676 853.93	- 271 377.76	1 676 986.21	- 256 221.31
92 22 30	1 663 389.88	- 271 257.80	1 663 527.66	- 256 101.41
92 25 00	1 649 925.86	- 271 132.96	1 650 069.16	- 255 976.61
92 27 30	1 636 461.90	- 271 003.22	1 636 610.71	- 255 846.93
92 30 00	1 622 997.98	- 270 868.58	1 623 152.30	- 255 712.35
92 32 30	1 609 534.12	- 270 729.05	1 609 693.94	- 255 572.87
92 35 00	1 596 070.30	- 270 584.62	1 596 235.64	- 255 428.50
92 37 30	1 582 606.54	- 270 435.29	1 582 777.39	- 255 279.24
92 40 00	1 569 142.83	- 270 281.07	1 569 319.19	- 255 125.08
92 42 30	1 555 679.18	- 270 121.96	1 555 861.06	- 254 966.03
92 45 00	1 542 215.59	- 269 957.95	1 542 402.97	- 254 802.09
92 47 30	1 528 752.06	- 269 789.04	1 528 944.95	- 254 633.24
92 50 00	1 515 288.59	- 269 615.23	1 515 487.00	- 254 459.51
92 52 30	1 501 825.19	- 269 436.54	1 502 029.10	- 254 280.89
92 55 00	1 488 361.85	- 269 252.95	1 488 571.27	- 254 097.37
92 57 30	1 474 898.58	- 269 064.45	1 475 113.51	- 253 908.96
93 00 00	1 461 435.37	- 268 871.07	1 461 655.82	- 253 715.65

LOUISIANA - SOUTH ZONE

STATE PLANE COORDINATES FOR 2½-MINUTE INTERSECTIONS — FEET

LONGITUDE	LATITUDE X	27 45 00 Y	LATITUDE X	27 47 30 Y
93 00 00	1 460 553.54	- 329 495.81	1 460 774.00	- 314 339.14
93 02 30	1 447 068.37	- 329 297.20	1 447 294.34	- 314 140.61
93 05 00	1 433 583.26	- 329 093.69	1 433 814.75	- 313 937.19
93 07 30	1 420 098.24	- 328 885.28	1 420 335.24	- 313 728.86
93 10 00	1 406 613.29	- 328 671.97	1 406 855.80	- 313 515.64
93 12 30	1 393 128.42	- 328 453.75	1 393 376.44	- 313 297.51
93 15 00	1 379 643.63	- 328 230.62	1 379 897.16	- 313 074.47
93 17 30	1 366 158.92	- 328 002.60	1 366 417.96	- 312 846.55
93 20 00	1 352 674.29	- 327 769.67	1 352 938.85	- 312 613.71
93 22 30	1 339 189.75	- 327 531.84	1 339 459.82	- 312 375.98
93 25 00	1 325 705.30	- 327 289.10	1 325 980.88	- 312 133.34
93 27 30	1 312 220.94	- 327 041.47	1 312 502.02	- 311 885.80
93 30 00	1 298 736.67	- 326 788.92	1 299 023.26	- 311 633.36
93 32 30	1 285 252.48	- 326 531.48	1 285 544.59	- 311 376.03
93 35 00	1 271 768.40	- 326 269.13	1 272 066.02	- 311 113.78
93 37 30	1 258 284.41	- 326 001.88	1 258 587.54	- 310 846.64
93 40 00	1 244 800.52	- 325 729.73	1 245 109.16	- 310 574.60
93 42 30	1 231 316.73	- 325 452.67	1 231 630.88	- 310 297.66
93 45 00	1 217 833.04	- 325 170.71	1 218 152.70	- 310 015.81
93 47 30	1 204 349.45	- 324 883.85	1 204 674.63	- 309 729.07
93 50 00	1 190 865.98	- 324 592.08	1 191 196.66	- 309 437.42
93 52 30	1 177 382.60	- 324 295.42	1 177 718.80	- 309 140.87
93 55 00	1 163 899.34	- 323 993.84	1 164 241.04	- 308 839.43
93 57 30	1 150 416.18	- 323 687.37	1 150 763.39	- 308 533.08
94 00 00	1 136 933.14	- 323 375.99	1 137 285.86	- 308 221.83

LONGITUDE	LATITUDE X	27 50 00 Y	LATITUDE X	27 52 30 Y
93 00 00	1 460 994.47	- 299 182.80	1 461 214.92	- 284 026.78
93 02 30	1 447 520.32	- 298 984.36	1 447 746.28	- 283 828.41
93 05 00	1 434 046.24	- 298 781.02	1 434 277.72	- 283 625.16
93 07 30	1 420 572.23	- 298 572.77	1 420 809.22	- 283 417.00
93 10 00	1 407 098.30	- 298 359.64	1 407 340.80	- 283 203.95
93 12 30	1 393 624.45	- 298 141.60	1 393 872.47	- 282 986.00
93 15 00	1 380 150.69	- 297 918.65	1 380 404.21	- 282 763.15
93 17 30	1 366 677.00	- 297 690.82	1 366 936.03	- 282 535.40
93 20 00	1 353 203.40	- 297 458.08	1 353 467.94	- 282 302.76
93 22 30	1 339 729.88	- 297 220.44	1 339 999.93	- 282 065.22
93 25 00	1 326 256.45	- 296 977.90	1 326 532.01	- 281 822.78
93 27 30	1 312 783.11	- 296 730.47	1 313 064.18	- 281 575.45
93 30 00	1 299 309.86	- 296 478.13	1 299 596.44	- 281 323.21
93 32 30	1 285 836.70	- 296 220.90	1 286 128.79	- 281 066.08
93 35 00	1 272 363.64	- 295 958.76	1 272 661.24	- 280 804.05
93 37 30	1 258 890.67	- 295 691.73	1 259 193.79	- 280 537.13
93 40 00	1 245 417.80	- 295 419.80	1 245 726.43	- 280 265.32
93 42 30	1 231 945.03	- 295 142.98	1 232 259.17	- 279 988.60
93 45 00	1 218 472.36	- 294 861.24	1 218 792.01	- 279 706.98
93 47 30	1 204 999.79	- 294 574.61	1 205 324.95	- 279 420.47
93 50 00	1 191 527.34	- 294 283.09	1 191 858.01	- 279 129.07
93 52 30	1 178 054.98	- 293 986.66	1 178 391.16	- 278 832.76
93 55 00	1 164 582.74	- 293 685.34	1 164 924.43	- 278 531.56
93 57 30	1 151 110.60	- 293 379.11	1 151 457.80	- 278 225.46
94 00 00	1 137 638.58	- 293 067.99	1 137 991.29	- 277 914.46

LONGITUDE	LATITUDE X	27 55 00 Y	LATITUDE X	27 57 30 Y
93 00 00	1 461 435.37	- 268 871.07	1 461 655.82	- 253 715.65
93 02 30	1 447 972.25	- 268 672.79	1 448 198.20	- 253 517.45
93 05 00	1 434 509.19	- 268 469.61	1 434 740.66	- 253 314.36
93 07 30	1 421 046.21	- 268 261.54	1 421 283.19	- 253 106.37
93 10 00	1 407 583.30	- 268 048.57	1 407 825.79	- 252 893.49
93 12 30	1 394 120.47	- 267 830.72	1 394 368.47	- 252 675.73
93 15 00	1 380 657.73	- 267 607.96	1 380 911.24	- 252 453.06
93 17 30	1 367 195.06	- 267 380.31	1 367 454.08	- 252 225.50
93 20 00	1 353 732.48	- 267 147.75	1 353 997.01	- 251 993.04
93 22 30	1 340 269.98	- 266 910.32	1 340 540.03	- 251 755.70
93 25 00	1 326 807.57	- 266 667.97	1 327 083.13	- 251 513.46
93 27 30	1 313 345.25	- 266 420.74	1 313 626.32	- 251 266.33
93 30 00	1 299 883.02	- 266 168.61	1 300 169.60	- 251 014.30
93 32 30	1 286 420.88	- 265 911.59	1 286 712.97	- 250 757.38
93 35 00	1 272 958.85	- 265 649.67	1 273 256.44	- 250 495.57
93 37 30	1 259 496.90	- 265 382.85	1 259 800.00	- 250 228.87
93 40 00	1 246 035.05	- 265 111.15	1 246 343.66	- 249 957.27
93 42 30	1 232 573.30	- 264 834.55	1 232 887.42	- 249 680.78
93 45 00	1 219 111.65	- 264 553.04	1 219 431.29	- 249 399.39
93 47 30	1 205 650.11	- 264 266.65	1 205 975.25	- 249 113.12
93 50 00	1 192 188.67	- 263 975.36	1 192 519.33	- 248 821.95
93 52 30	1 178 727.34	- 263 679.18	1 179 063.50	- 248 525.89
93 55 00	1 165 266.12	- 263 378.10	1 165 607.79	- 248 224.93
93 57 30	1 151 804.99	- 263 072.13	1 152 152.18	- 247 919.08
94 00 00	1 138 344.00	- 262 761.26	1 138 696.69	- 247 608.34

LOUISIANA - SOUTH ZONE

STATE PLANE COORDINATES FOR 2½-MINUTE INTERSECTIONS

FEET

LONGITUDE	LATITUDE 28 00 00 X	LATITUDE 28 00 00 Y	LATITUDE 28 02 30 X	LATITUDE 28 02 30 Y
88 40 00	2 860 950.62	- 232 455.73	2 860 597.93	- 217 303.40
88 42 30	2 847 500.64	- 232 766.34	2 847 153.46	- 217 613.89
88 45 00	2 834 050.54	- 233 072.06	2 833 708.87	- 217 919.49
88 47 30	2 820 600.34	- 233 372.90	2 820 264.18	- 218 220.19
88 50 00	2 807 150.02	- 233 668.84	2 806 819.38	- 218 516.01
88 52 30	2 793 699.60	- 233 959.89	2 793 374.47	- 218 806.94
88 55 00	2 780 249.08	- 234 246.04	2 779 929.46	- 219 092.98
88 57 30	2 766 798.46	- 234 527.32	2 766 484.34	- 219 374.14
89 00 00	2 753 347.73	- 234 803.69	2 753 039.12	- 219 650.40

LONGITUDE	LATITUDE 28 05 00 X	LATITUDE 28 05 00 Y	LATITUDE 28 07 30 X	LATITUDE 28 07 30 Y
88 40 00	2 860 245.26	- 202 151.34	2 859 892.59	- 186 999.56
88 42 30	2 846 806.30	- 202 461.70	2 846 459.14	- 187 309.79
88 45 00	2 833 367.22	- 202 767.18	2 833 025.56	- 187 615.14
88 47 30	2 819 928.03	- 203 067.76	2 819 591.89	- 187 915.60
88 50 00	2 806 488.74	- 203 363.46	2 806 158.11	- 188 211.18
88 52 30	2 793 049.34	- 203 654.27	2 792 724.22	- 188 501.87
88 55 00	2 779 609.84	- 203 940.19	2 779 290.23	- 188 787.67
88 57 30	2 766 170.23	- 204 221.24	2 765 856.13	- 189 068.60
89 00 00	2 752 730.52	- 204 497.39	2 752 421.93	- 189 344.64

LONGITUDE	LATITUDE 28 10 00 X	LATITUDE 28 10 00 Y	LATITUDE 28 12 30 X	LATITUDE 28 12 30 Y
88 40 00	2 859 539.92	- 171 848.03	2 859 187.26	- 156 696.77
88 42 30	2 846 111.98	- 172 158.14	2 845 764.83	- 157 006.74
88 45 00	2 832 683.92	- 172 463.36	2 832 342.28	- 157 311.84
88 47 30	2 819 255.76	- 172 763.70	2 818 919.62	- 157 612.06
88 50 00	2 805 827.48	- 173 059.15	2 805 496.86	- 157 907.39
88 52 30	2 792 399.10	- 173 349.73	2 792 073.99	- 158 197.84
88 55 00	2 778 970.62	- 173 635.42	2 778 651.02	- 158 483.42
88 57 30	2 765 542.03	- 173 916.23	2 765 227.94	- 158 764.11
89 00 00	2 752 113.34	- 174 192.15	2 751 804.76	- 159 039.92

LOUISIANA - SOUTH ZONE

STATE PLANE COORDINATES FOR 2½-MINUTE INTERSECTIONS

FEET

LONGITUDE	LATITUDE 28 00 00 X	LATITUDE 28 00 00 Y	LATITUDE 28 02 30 X	LATITUDE 28 02 30 Y
89 00 00	2 753 347.73	- 234 803.69	2 753 039.12	- 219 650.40
89 02 30	2 739 896.90	- 235 075.18	2 739 593.80	- 219 921.78
89 05 00	2 726 445.97	- 235 341.77	2 726 148.38	- 220 188.26
89 07 30	2 712 994.95	- 235 603.48	2 712 702.88	- 220 449.86
89 10 00	2 699 543.83	- 235 860.29	2 699 257.27	- 220 706.57
89 12 30	2 686 092.62	- 236 112.22	2 685 811.57	- 220 958.39
89 15 00	2 672 641.32	- 236 359.24	2 672 365.78	- 221 205.32
89 17 30	2 659 189.94	- 236 601.39	2 658 919.90	- 221 447.36
89 20 00	2 645 738.46	- 236 838.63	2 645 473.94	- 221 684.51
89 22 30	2 632 286.90	- 237 070.99	2 632 027.89	- 221 916.78
89 25 00	2 618 835.25	- 237 298.46	2 618 581.75	- 222 144.15
89 27 30	2 605 383.53	- 237 521.03	2 605 135.54	- 222 366.63
89 30 00	2 591 931.72	- 237 738.71	2 591 689.24	- 222 584.22
89 32 30	2 578 479.84	- 237 951.50	2 578 242.87	- 222 796.93
89 35 00	2 565 027.88	- 238 159.41	2 564 796.42	- 223 004.75
89 37 30	2 551 575.84	- 238 362.41	2 551 349.89	- 223 207.67
89 40 00	2 538 123.73	- 238 560.54	2 537 903.30	- 223 405.71
89 42 30	2 524 671.55	- 238 753.76	2 524 456.63	- 223 598.85
89 45 00	2 511 219.30	- 238 942.10	2 511 009.89	- 223 787.12
89 47 30	2 497 766.99	- 239 125.54	2 497 563.08	- 223 970.48
89 50 00	2 484 314.60	- 239 304.09	2 484 116.21	- 224 148.96
89 52 30	2 470 862.16	- 239 477.75	2 470 669.27	- 224 322.55
89 55 00	2 457 409.65	- 239 646.53	2 457 222.27	- 224 491.25
89 57 30	2 443 957.08	- 239 810.40	2 443 775.21	- 224 655.06
90 00 00	2 430 504.45	- 239 969.39	2 430 328.10	- 224 813.98

LONGITUDE	LATITUDE 28 05 00 X	LATITUDE 28 05 00 Y	LATITUDE 28 07 30 X	LATITUDE 28 07 30 Y
89 00 00	2 752 730.52	- 204 497.39	2 752 421.93	- 189 344.64
89 02 30	2 739 290.71	- 204 768.65	2 738 987.63	- 189 615.79
89 05 00	2 725 850.81	- 205 035.02	2 725 553.23	- 189 882.05
89 07 30	2 712 410.81	- 205 296.52	2 712 118.74	- 190 143.44
89 10 00	2 698 970.71	- 205 553.12	2 698 684.16	- 190 399.94
89 12 30	2 685 530.52	- 205 804.84	2 685 249.48	- 190 651.55
89 15 00	2 672 090.24	- 206 051.66	2 671 814.71	- 190 898.28
89 17 30	2 658 649.87	- 206 293.61	2 658 379.85	- 191 140.12
89 20 00	2 645 209.42	- 206 530.66	2 644 944.90	- 191 377.08
89 22 30	2 631 768.88	- 206 762.83	2 631 509.88	- 191 609.15
89 25 00	2 618 328.25	- 206 990.11	2 618 074.76	- 191 836.34
89 27 30	2 604 887.55	- 207 212.50	2 604 639.57	- 192 058.64
89 30 00	2 591 446.77	- 207 430.00	2 591 204.29	- 192 276.05
89 32 30	2 578 005.90	- 207 642.62	2 577 768.94	- 192 488.58
89 35 00	2 564 564.96	- 207 850.35	2 564 333.51	- 192 696.23
89 37 30	2 551 123.95	- 208 053.19	2 550 898.00	- 192 898.99
89 40 00	2 537 682.86	- 208 251.15	2 537 462.43	- 193 096.87
89 42 30	2 524 241.70	- 208 444.22	2 524 026.78	- 193 289.85
89 45 00	2 510 800.47	- 208 632.40	2 510 591.06	- 193 477.96
89 47 30	2 497 359.18	- 208 815.70	2 497 155.28	- 193 661.18
89 50 00	2 483 917.81	- 208 994.10	2 483 719.42	- 193 839.51
89 52 30	2 470 476.39	- 209 167.62	2 470 283.51	- 194 012.95
89 55 00	2 457 034.90	- 209 336.25	2 456 847.53	- 194 181.52
89 57 30	2 443 593.35	- 209 499.99	2 443 411.49	- 194 345.19
90 00 00	2 430 151.74	- 209 658.85	2 429 975.40	- 194 503.98

LONGITUDE	LATITUDE 28 10 00 X	LATITUDE 28 10 00 Y	LATITUDE 28 12 30 X	LATITUDE 28 12 30 Y
89 00 00	2 752 113.34	- 174 192.15	2 751 804.76	- 159 039.92
89 02 30	2 738 684.55	- 174 463.19	2 738 381.48	- 159 310.85
89 05 00	2 725 255.66	- 174 729.35	2 724 958.10	- 159 576.90
89 07 30	2 711 826.68	- 174 990.63	2 711 534.63	- 159 838.07
89 10 00	2 698 397.61	- 175 247.02	2 698 111.06	- 160 094.35
89 12 30	2 684 968.44	- 175 498.53	2 684 687.41	- 160 345.77
89 15 00	2 671 539.18	- 175 745.15	2 671 263.66	- 160 592.29
89 17 30	2 658 109.83	- 175 986.90	2 657 839.82	- 160 833.93
89 20 00	2 644 680.40	- 176 223.76	2 644 415.89	- 161 070.69
89 22 30	2 631 250.88	- 176 455.74	2 630 991.88	- 161 302.58
89 25 00	2 617 821.27	- 176 682.83	2 617 567.79	- 161 529.58
89 27 30	2 604 391.59	- 176 905.04	2 604 143.62	- 161 751.70
89 30 00	2 590 961.82	- 177 122.36	2 590 719.36	- 161 968.93
89 32 30	2 577 531.98	- 177 334.80	2 577 295.03	- 162 181.29
89 35 00	2 564 102.06	- 177 542.37	2 563 870.62	- 162 388.77
89 37 30	2 550 672.07	- 177 745.04	2 550 446.13	- 162 591.36
89 40 00	2 537 242.00	- 177 942.84	2 537 021.58	- 162 789.07
89 42 30	2 523 811.86	- 178 135.75	2 523 596.95	- 162 981.90
89 45 00	2 510 381.65	- 178 323.78	2 510 172.25	- 163 169.85
89 47 30	2 496 951.38	- 178 506.92	2 496 747.49	- 163 352.92
89 50 00	2 483 521.04	- 178 685.18	2 483 322.65	- 163 531.10
89 52 30	2 470 090.63	- 178 858.55	2 469 897.76	- 163 704.41
89 55 00	2 456 660.17	- 179 027.05	2 456 472.81	- 163 872.84
89 57 30	2 443 229.64	- 179 190.66	2 443 047.79	- 164 036.38
90 00 00	2 429 799.05	- 179 349.38	2 429 622.71	- 164 195.04

LOUISIANA - SOUTH ZONE

STATE PLANE COORDINATES FOR 2½-MINUTE INTERSECTIONS — FEET

LONGITUDE	LATITUDE 28 00 00 X	Y	LATITUDE 28 02 30 X	Y
90 00 00	2 430 504.45	- 239 969.39	2 430 328.10	- 224 813.98
90 02 30	2 417 051.77	- 240 123.48	2 416 880.98	- 224 968.01
90 05 00	2 403 599.02	- 240 278.68	2 403 433.69	- 225 117.15
90 07 30	2 390 146.23	- 240 416.99	2 389 986.41	- 225 261.41
90 10 00	2 376 693.39	- 240 556.41	2 376 539.08	- 225 400.77
90 12 30	2 363 240.49	- 240 690.94	2 363 091.69	- 225 535.24
90 15 00	2 349 787.55	- 240 820.57	2 349 644.26	- 225 664.82
90 17 30	2 336 334.56	- 240 945.32	2 336 196.78	- 225 789.51
90 20 00	2 322 881.53	- 241 065.17	2 322 749.26	- 225 909.32
90 22 30	2 309 428.45	- 241 180.13	2 309 301.69	- 226 024.23
90 25 00	2 295 975.33	- 241 290.20	2 295 854.09	- 226 134.25
90 27 30	2 282 522.18	- 241 395.37	2 282 406.44	- 226 239.38
90 30 00	2 269 068.98	- 241 495.66	2 268 958.76	- 226 339.63
90 32 30	2 255 615.75	- 241 591.05	2 255 511.04	- 226 434.99
90 35 00	2 242 162.49	- 241 681.55	2 242 063.29	- 226 525.45
90 37 30	2 228 709.19	- 241 767.16	2 228 615.50	- 226 611.02
90 40 00	2 215 255.87	- 241 847.88	2 215 167.69	- 226 691.70
90 42 30	2 201 802.51	- 241 923.70	2 201 719.84	- 226 767.50
90 45 00	2 188 349.13	- 241 994.64	2 188 271.98	- 226 838.41
90 47 30	2 174 895.73	- 242 060.68	2 174 824.08	- 226 904.42
90 50 00	2 161 442.30	- 242 121.83	2 161 376.16	- 226 965.54
90 52 30	2 147 988.85	- 242 178.09	2 147 928.22	- 227 021.78
90 55 00	2 134 535.38	- 242 229.45	2 134 480.27	- 227 073.12
90 57 30	2 121 081.89	- 242 275.93	2 121 032.29	- 227 119.58
91 00 00	2 107 628.39	- 242 317.51	2 107 584.30	- 227 161.14

LONGITUDE	LATITUDE 28 05 00 X	Y	LATITUDE 28 07 30 X	Y
90 00 00	2 430 151.74	- 209 658.85	2 429 975.40	- 194 503.98
90 02 30	2 416 710.08	- 209 812.82	2 416 539.25	- 194 657.89
90 05 00	2 403 268.36	- 209 961.90	2 403 103.04	- 194 806.91
90 07 30	2 389 826.59	- 210 106.09	2 389 666.78	- 194 951.04
90 10 00	2 376 384.77	- 210 245.39	2 376 230.47	- 195 090.29
90 12 30	2 362 942.89	- 210 379.81	2 362 794.10	- 195 224.65
90 15 00	2 349 500.98	- 210 509.34	2 349 357.69	- 195 354.12
90 17 30	2 336 059.00	- 210 633.98	2 335 921.23	- 195 478.72
90 20 00	2 322 617.00	- 210 753.74	2 322 484.73	- 195 598.42
90 22 30	2 309 174.94	- 210 868.60	2 309 048.19	- 195 713.24
90 25 00	2 295 732.85	- 210 978.58	2 295 611.61	- 195 823.17
90 27 30	2 282 290.71	- 211 083.67	2 282 174.98	- 195 928.22
90 30 00	2 268 848.54	- 211 183.87	2 268 738.32	- 196 028.38
90 32 30	2 255 406.33	- 211 279.19	2 255 301.62	- 196 123.66
90 35 00	2 241 964.09	- 211 369.61	2 241 864.89	- 196 214.05
90 37 30	2 228 521.82	- 211 455.15	2 228 428.13	- 196 299.55
90 40 00	2 215 079.51	- 211 535.80	2 214 991.34	- 196 380.17
90 42 30	2 201 637.18	- 211 611.57	2 201 554.51	- 196 455.90
90 45 00	2 188 194.82	- 211 682.44	2 188 117.67	- 196 526.75
90 47 30	2 174 752.44	- 211 748.43	2 174 680.80	- 196 592.71
90 50 00	2 161 310.03	- 211 809.53	2 161 243.90	- 196 653.78
90 52 30	2 147 867.60	- 211 865.74	2 147 806.98	- 196 709.97
90 55 00	2 134 425.16	- 211 917.06	2 134 370.05	- 196 761.27
90 57 30	2 120 982.69	- 211 963.50	2 120 933.09	- 196 807.69

LONGITUDE	LATITUDE 28 10 00 X	Y	LATITUDE 28 12 30 X	Y
90 00 00	2 429 799.05	- 179 349.38	2 429 622.71	- 164 195.04
90 02 30	2 416 368.41	- 179 503.22	2 416 197.58	- 164 348.81
90 05 00	2 402 937.71	- 179 652.18	2 402 772.39	- 164 497.71
90 07 30	2 389 506.96	- 179 796.25	2 389 347.15	- 164 641.73
90 10 00	2 376 076.16	- 179 935.44	2 375 921.87	- 164 780.86
90 12 30	2 362 645.31	- 180 069.75	2 362 496.52	- 164 915.11
90 15 00	2 349 214.41	- 180 199.17	2 349 071.14	- 165 044.48
90 17 30	2 335 783.46	- 180 323.71	2 335 645.69	- 165 168.97
90 20 00	2 322 352.47	- 180 443.37	2 322 220.22	- 165 288.58
90 22 30	2 308 921.44	- 180 558.14	2 308 794.69	- 165 403.30
90 25 00	2 295 490.37	- 180 668.03	2 295 369.13	- 165 513.14
90 27 30	2 282 059.25	- 180 773.03	2 281 943.53	- 165 618.10
90 30 00	2 268 628.10	- 180 873.15	2 268 517.89	- 165 718.18
90 32 30	2 255 196.92	- 180 968.39	2 255 092.21	- 165 813.38
90 35 00	2 241 765.70	- 181 058.74	2 241 666.51	- 165 903.70
90 37 30	2 228 334.45	- 181 144.21	2 228 240.76	- 165 989.13
90 40 00	2 214 903.17	- 181 224.79	2 214 814.99	- 166 069.68
90 42 30	2 201 471.85	- 181 300.50	2 201 389.19	- 166 145.35
90 45 00	2 188 040.52	- 181 371.31	2 187 963.37	- 166 216.14
90 47 30	2 174 609.16	- 181 437.25	2 174 537.52	- 166 282.05
90 50 00	2 161 177.77	- 181 498.29	2 161 111.64	- 166 343.07
90 52 30	2 147 746.36	- 181 554.46	2 147 685.74	- 166 399.21
90 55 00	2 134 314.94	- 181 605.74	2 134 259.83	- 166 450.47
90 57 30	2 120 883.50	- 181 652.14	2 120 833.90	- 166 496.85
91 00 00	2 107 452.04	- 181 693.65	2 107 407.95	- 166 538.35

LOUISIANA - SOUTH ZONE

STATE PLANE COORDINATES FOR 2½-MINUTE INTERSECTIONS — FEET

LONGITUDE	LATITUDE 28 00 00 X	Y	LATITUDE 28 02 30 X	Y
91 00 00	2 107 628.39	- 242 317.51	2 107 584.30	- 227 161.14
91 02 30	2 094 174.87	- 242 354.20	2 094 136.29	- 227 197.81
91 05 00	2 080 721.34	- 242 385.99	2 080 688.28	- 227 229.60
91 07 30	2 067 267.80	- 242 412.90	2 067 240.25	- 227 256.49
91 10 00	2 053 814.25	- 242 434.91	2 053 792.21	- 227 278.50
91 12 30	2 040 360.70	- 242 452.04	2 040 344.16	- 227 295.61
91 15 00	2 026 907.13	- 242 464.27	2 026 896.11	- 227 307.84
91 17 30	2 013 453.57	- 242 471.60	2 013 448.06	- 227 315.17
91 20 00	2 000 000.00	- 242 474.05	2 000 000.00	- 227 317.62
91 22 30	1 986 546.43	- 242 471.60	1 986 551.94	- 227 315.17
91 25 00	1 973 092.87	- 242 464.27	1 973 103.89	- 227 307.84
91 27 30	1 959 639.30	- 242 452.04	1 959 655.84	- 227 295.61
91 30 00	1 946 185.75	- 242 434.91	1 946 207.79	- 227 278.50
91 32 30	1 932 732.20	- 242 412.90	1 932 759.75	- 227 256.49
91 35 00	1 919 278.66	- 242 385.99	1 919 311.72	- 227 229.60
91 37 30	1 905 825.13	- 242 354.20	1 905 863.71	- 227 197.81
91 40 00	1 892 371.61	- 242 317.51	1 892 415.70	- 227 161.14
91 42 30	1 878 918.11	- 242 275.93	1 878 967.71	- 227 119.58
91 45 00	1 865 464.62	- 242 229.45	1 865 519.73	- 227 073.12
91 47 30	1 852 011.15	- 242 178.09	1 852 071.78	- 227 021.78
91 50 00	1 838 557.70	- 242 121.83	1 838 623.84	- 226 965.54
91 52 30	1 825 104.27	- 242 060.68	1 825 175.92	- 226 904.42
91 55 00	1 811 650.87	- 241 994.64	1 811 728.02	- 226 838.41
91 57 30	1 798 197.49	- 241 923.70	1 798 280.16	- 226 767.50
92 00 00	1 784 744.13	- 241 847.88	1 784 832.31	- 226 691.70

LONGITUDE	LATITUDE 28 05 00 X	Y	LATITUDE 28 07 30 X	Y
91 00 00	2 107 540.21	- 212 005.05	2 107 496.13	- 196 849.22
91 02 30	2 094 097.72	- 212 041.70	2 094 059.14	- 196 885.86
91 05 00	2 080 655.21	- 212 073.47	2 080 622.15	- 196 917.62
91 07 30	2 067 212.69	- 212 100.36	2 067 185.14	- 196 944.49
91 10 00	2 053 770.16	- 212 122.35	2 053 748.12	- 196 966.48
91 12 30	2 040 327.63	- 212 139.46	2 040 311.10	- 196 983.58
91 15 00	2 026 885.09	- 212 151.69	2 026 874.07	- 196 995.80
91 17 30	2 013 442.55	- 212 159.01	2 013 437.03	- 197 003.12
91 20 00	2 000 000.00	- 212 161.46	2 000 000.00	- 197 005.57
91 22 30	1 986 557.45	- 212 159.01	1 986 562.97	- 197 003.12
91 25 00	1 973 114.91	- 212 151.69	1 973 125.93	- 196 995.80
91 27 30	1 959 672.37	- 212 139.46	1 959 688.90	- 196 983.58
91 30 00	1 946 229.84	- 212 122.35	1 946 251.88	- 196 966.48
91 32 30	1 932 787.31	- 212 100.36	1 932 814.86	- 196 944.49
91 35 00	1 919 344.79	- 212 073.47	1 919 377.85	- 196 917.62
91 37 30	1 905 902.28	- 212 041.70	1 905 940.86	- 196 885.86
91 40 00	1 892 459.79	- 212 005.05	1 892 503.87	- 196 849.22
91 42 30	1 879 017.31	- 211 963.50	1 879 066.91	- 196 807.69
91 45 00	1 865 574.84	- 211 917.06	1 865 629.95	- 196 761.27
91 47 30	1 852 132.40	- 211 865.74	1 852 193.02	- 196 709.97
91 50 00	1 838 689.97	- 211 809.53	1 838 756.10	- 196 653.78
91 52 30	1 825 247.56	- 211 748.43	1 825 319.20	- 196 592.71
91 55 00	1 811 805.18	- 211 682.44	1 811 882.33	- 196 526.75
91 57 30	1 798 362.82	- 211 611.57	1 798 445.49	- 196 455.90
92 00 00	1 784 920.49	- 211 535.80	1 785 008.66	- 196 380.17

LONGITUDE	LATITUDE 28 10 00 X	Y	LATITUDE 28 12 30 X	Y
91 00 00	2 107 452.04	- 181 693.65	2 107 407.95	- 166 538.35
91 02 30	2 094 020.56	- 181 730.28	2 093 981.99	- 166 574.96
91 05 00	2 080 589.08	- 181 762.03	2 080 556.02	- 166 606.69
91 07 30	2 067 157.58	- 181 788.89	2 067 130.03	- 166 633.54
91 10 00	2 053 726.08	- 181 810.87	2 053 704.03	- 166 655.51
91 12 30	2 040 294.56	- 181 827.96	2 040 278.03	- 166 672.60
91 15 00	2 026 863.04	- 181 840.17	2 026 852.02	- 166 684.81
91 17 30	2 013 431.52	- 181 847.49	2 013 426.01	- 166 692.13
91 20 00	2 000 000.00	- 181 849.94	2 000 000.00	- 166 694.57
91 22 30	1 986 568.48	- 181 847.49	1 986 573.99	- 166 692.13
91 25 00	1 973 136.96	- 181 840.17	1 973 147.98	- 166 684.81
91 27 30	1 959 705.44	- 181 827.96	1 959 721.97	- 166 672.60
91 30 00	1 946 273.92	- 181 810.87	1 946 295.97	- 166 655.51
91 32 30	1 932 842.42	- 181 788.89	1 932 869.97	- 166 633.54
91 35 00	1 919 410.92	- 181 762.03	1 919 443.98	- 166 606.69
91 37 30	1 905 979.44	- 181 730.28	1 906 018.01	- 166 574.96
91 40 00	1 892 547.96	- 181 693.65	1 892 592.05	- 166 538.35
91 42 30	1 879 116.50	- 181 652.14	1 879 166.10	- 166 496.85
91 45 00	1 865 685.06	- 181 605.74	1 865 740.17	- 166 450.47
91 47 30	1 852 253.64	- 181 554.46	1 852 314.26	- 166 399.21
91 50 00	1 838 822.23	- 181 498.29	1 838 888.36	- 166 343.07
91 52 30	1 825 390.84	- 181 437.25	1 825 462.48	- 166 282.05
91 55 00	1 811 959.48	- 181 371.31	1 812 036.63	- 166 216.14
91 57 30	1 798 528.15	- 181 300.50	1 798 610.81	- 166 145.35
92 00 00	1 785 096.83	- 181 224.79	1 785 185.01	- 166 069.68

LOUISIANA - SOUTH ZONE

STATE PLANE COORDINATES FOR 2½-MINUTE INTERSECTIONS

FEET

LONGITUDE	LATITUDE 28 00 00 X	Y	LATITUDE 28 02 30 X	Y
92 00 00	1 784 744.13	- 241 847.88	1 784 832.31	- 226 691.70
92 02 30	1 771 290.81	- 241 767.16	1 771 384.50	- 226 611.02
92 05 00	1 757 837.51	- 241 681.55	1 757 936.71	- 226 525.45
92 07 30	1 744 384.25	- 241 591.05	1 744 488.96	- 226 434.99
92 10 00	1 730 931.02	- 241 495.66	1 731 041.24	- 226 339.63
92 12 30	1 717 477.82	- 241 395.37	1 717 593.56	- 226 239.38
92 15 00	1 704 024.67	- 241 290.20	1 704 145.91	- 226 134.25
92 17 30	1 690 571.55	- 241 180.13	1 690 698.31	- 226 024.23
92 20 00	1 677 118.47	- 241 065.17	1 677 250.74	- 225 909.32
92 22 30	1 663 665.44	- 240 945.32	1 663 803.22	- 225 789.51
92 25 00	1 650 212.45	- 240 820.57	1 650 355.74	- 225 664.82
92 27 30	1 636 759.51	- 240 690.94	1 636 908.31	- 225 535.24
92 30 00	1 623 306.61	- 240 556.41	1 623 460.92	- 225 400.77
92 32 30	1 609 853.77	- 240 416.99	1 610 013.59	- 225 261.41
92 35 00	1 596 400.98	- 240 272.68	1 596 566.31	- 225 117.15
92 37 30	1 582 948.23	- 240 123.48	1 583 119.08	- 224 968.01
92 40 00	1 569 495.55	- 239 969.39	1 569 671.90	- 224 813.98
92 42 30	1 556 042.92	- 239 810.40	1 556 224.79	- 224 655.06
92 45 00	1 542 590.35	- 239 646.53	1 542 777.73	- 224 491.25
92 47 30	1 529 137.84	- 239 477.75	1 529 330.73	- 224 322.55
92 50 00	1 515 685.40	- 239 304.09	1 515 883.79	- 224 148.96
92 52 30	1 502 233.01	- 239 125.54	1 502 436.92	- 223 970.48
92 55 00	1 488 780.70	- 238 942.10	1 488 990.11	- 223 787.12
92 57 30	1 475 328.45	- 238 753.76	1 475 543.37	- 223 598.85
93 00 00	1 461 876.27	- 238 560.54	1 462 096.70	- 223 405.71

LONGITUDE	LATITUDE 28 05 00 X	Y	LATITUDE 28 07 30 X	Y
92 00 00	1 784 920.49	- 211 535.80	1 785 008.66	- 196 380.17
92 02 30	1 771 478.18	- 211 455.15	1 771 571.87	- 196 299.55
92 05 00	1 758 035.91	- 211 369.61	1 758 135.11	- 196 214.05
92 07 30	1 744 593.67	- 211 279.19	1 744 698.38	- 196 123.66
92 10 00	1 731 151.46	- 211 183.87	1 731 261.68	- 196 028.38
92 12 30	1 717 709.29	- 211 083.67	1 717 825.02	- 195 928.22
92 15 00	1 704 267.15	- 210 978.58	1 704 388.39	- 195 823.17
92 17 30	1 690 825.06	- 210 868.60	1 690 951.81	- 195 713.24
92 20 00	1 677 383.00	- 210 753.74	1 677 515.27	- 195 598.42
92 22 30	1 663 941.00	- 210 633.98	1 664 078.77	- 195 478.72
92 25 00	1 650 499.02	- 210 509.34	1 650 642.31	- 195 354.12
92 27 30	1 637 057.11	- 210 379.81	1 637 205.90	- 195 224.65
92 30 00	1 623 615.23	- 210 245.39	1 623 769.53	- 195 090.29
92 32 30	1 610 173.41	- 210 106.09	1 610 333.22	- 194 951.04
92 35 00	1 596 731.64	- 209 961.90	1 596 896.96	- 194 806.91
92 37 30	1 583 289.92	- 209 812.82	1 583 460.75	- 194 657.89
92 40 00	1 569 848.26	- 209 658.85	1 570 024.60	- 194 503.98
92 42 30	1 556 406.65	- 209 499.99	1 556 588.51	- 194 345.19
92 45 00	1 542 965.10	- 209 336.25	1 543 152.47	- 194 181.52
92 47 30	1 529 523.61	- 209 167.62	1 529 716.49	- 194 012.95
92 50 00	1 516 082.19	- 208 994.10	1 516 280.58	- 193 839.51
92 52 30	1 502 640.82	- 208 815.70	1 502 844.72	- 193 661.18
92 55 00	1 489 199.53	- 208 632.40	1 489 408.94	- 193 477.96
92 57 30	1 475 758.30	- 208 444.22	1 475 973.22	- 193 289.85
93 00 00	1 462 317.14	- 208 251.15	1 462 537.57	- 193 096.87

LONGITUDE	LATITUDE 28 10 00 X	Y	LATITUDE 28 12 30 X	Y
92 00 00	1 785 096.83	- 181 224.79	1 785 185.01	- 166 069.68
92 02 30	1 771 665.55	- 181 144.21	1 771 759.24	- 165 989.13
92 05 00	1 758 234.30	- 181 058.74	1 758 333.49	- 165 903.70
92 07 30	1 744 803.08	- 180 968.39	1 744 907.79	- 165 813.38
92 10 00	1 731 371.90	- 180 873.15	1 731 482.11	- 165 718.18
92 12 30	1 717 940.75	- 180 773.03	1 718 056.47	- 165 618.10
92 15 00	1 704 509.63	- 180 668.03	1 704 630.87	- 165 513.14
92 17 30	1 691 078.56	- 180 558.14	1 691 205.31	- 165 403.30
92 20 00	1 677 647.53	- 180 443.37	1 677 779.78	- 165 288.58
92 22 30	1 664 216.54	- 180 323.71	1 664 354.31	- 165 168.97
92 25 00	1 650 785.59	- 180 199.17	1 650 928.86	- 165 044.48
92 27 30	1 637 354.69	- 180 069.75	1 637 503.48	- 164 915.11
92 30 00	1 623 923.84	- 179 935.44	1 624 078.13	- 164 780.86
92 32 30	1 610 493.04	- 179 796.25	1 610 652.85	- 164 641.73
92 35 00	1 597 062.29	- 179 652.18	1 597 227.61	- 164 497.71
92 37 30	1 583 631.59	- 179 503.22	1 583 802.42	- 164 348.81
92 40 00	1 570 200.95	- 179 349.38	1 570 377.29	- 164 195.04
92 42 30	1 556 770.36	- 179 190.66	1 556 952.21	- 164 036.38
92 45 00	1 543 339.83	- 179 027.05	1 543 527.19	- 163 872.84
92 47 30	1 529 909.37	- 178 858.55	1 530 102.24	- 163 704.41
92 50 00	1 516 478.96	- 178 685.18	1 516 677.35	- 163 531.10
92 52 30	1 503 048.62	- 178 506.92	1 503 252.51	- 163 352.92
92 55 00	1 489 618.35	- 178 323.78	1 489 827.75	- 163 169.85
92 57 30	1 476 188.14	- 178 135.75	1 476 403.05	- 162 981.90
93 00 00	1 462 758.00	- 177 942.84	1 462 978.42	- 162 789.07

LOUISIANA - SOUTH ZONE

STATE PLANE COORDINATES FOR 2½-MINUTE INTERSECTIONS — FEET

LONGITUDE	LATITUDE 28 00 00 X	Y	LATITUDE 28 02 30 X	Y
93 00 00	1 461 876.27	- 238 560.54	1 462 096.70	- 223 405.71
93 02 30	1 448 424.16	- 238 362.41	1 448 650.11	- 223 207.67
93 05 00	1 434 972.12	- 238 159.41	1 435 203.58	- 223 004.75
93 07 30	1 421 520.16	- 237 951.50	1 421 757.13	- 222 796.93
93 10 00	1 408 068.28	- 237 738.71	1 408 310.76	- 222 584.22
93 12 30	1 394 616.47	- 237 521.03	1 394 864.46	- 222 366.63
93 15 00	1 381 164.75	- 237 298.46	1 381 418.25	- 222 144.15
93 17 30	1 367 713.10	- 237 070.99	1 367 972.11	- 221 916.78
93 20 00	1 354 261.54	- 236 838.63	1 354 526.06	- 221 684.51
93 22 30	1 340 810.06	- 236 601.39	1 341 080.10	- 221 447.36
93 25 00	1 327 358.68	- 236 359.24	1 327 634.22	- 221 205.32
93 27 30	1 313 907.38	- 236 112.22	1 314 188.43	- 220 958.39
93 30 00	1 300 456.17	- 235 860.29	1 300 742.73	- 220 706.57
93 32 30	1 287 005.05	- 235 603.48	1 287 297.12	- 220 449.86
93 35 00	1 273 554.03	- 235 341.77	1 273 851.62	- 220 188.26
93 37 30	1 260 103.10	- 235 075.18	1 260 406.20	- 219 921.78
93 40 00	1 246 652.27	- 234 803.69	1 246 960.88	- 219 650.40
93 42 30	1 233 201.54	- 234 527.32	1 233 515.66	- 219 374.14
93 45 00	1 219 750.92	- 234 246.04	1 220 070.54	- 219 092.98
93 47 30	1 206 300.40	- 233 959.89	1 206 625.53	- 218 806.94
93 50 00	1 192 849.98	- 233 668.84	1 193 180.62	- 218 516.01
93 52 30	1 179 399.66	- 233 372.90	1 179 735.82	- 218 220.19
93 55 00	1 165 949.46	- 233 072.06	1 166 291.13	- 217 919.49
93 57 30	1 152 499.36	- 232 766.34	1 152 846.54	- 217 613.89
94 00 00	1 139 049.38	- 232 455.73	1 139 402.07	- 217 303.40

LONGITUDE	LATITUDE 28 05 00 X	Y	LATITUDE 28 07 30 X	Y
93 00 00	1 462 317.14	- 208 251.15	1 462 537.57	- 193 096.87
93 02 30	1 448 876.05	- 208 053.19	1 449 102.00	- 192 898.99
93 05 00	1 435 435.04	- 207 850.35	1 435 666.49	- 192 696.23
93 07 30	1 421 994.10	- 207 642.62	1 422 231.06	- 192 488.58
93 10 00	1 408 553.23	- 207 430.00	1 408 795.71	- 192 276.05
93 12 30	1 395 112.45	- 207 212.50	1 395 360.43	- 192 058.64
93 15 00	1 381 671.75	- 206 990.11	1 381 925.24	- 191 836.34
93 17 30	1 368 231.12	- 206 762.83	1 368 490.12	- 191 609.15
93 20 00	1 354 790.58	- 206 530.66	1 355 055.10	- 191 377.08
93 22 30	1 341 350.13	- 206 293.61	1 341 620.15	- 191 140.12
93 25 00	1 327 909.76	- 206 051.66	1 328 185.29	- 190 898.28
93 27 30	1 314 469.48	- 205 804.84	1 314 750.52	- 190 651.55
93 30 00	1 301 029.29	- 205 553.12	1 301 315.84	- 190 399.94
93 32 30	1 287 589.19	- 205 296.52	1 287 881.26	- 190 143.44
93 35 00	1 274 149.19	- 205 035.02	1 274 446.77	- 189 882.05
93 37 30	1 260 709.29	- 204 768.65	1 261 012.37	- 189 615.79
93 40 00	1 247 269.48	- 204 497.39	1 247 578.07	- 189 344.64
93 42 30	1 233 829.77	- 204 221.24	1 234 143.87	- 189 068.60
93 45 00	1 220 390.16	- 203 940.19	1 220 709.77	- 188 787.67
93 47 30	1 206 950.66	- 203 654.27	1 207 275.78	- 188 501.87
93 50 00	1 193 511.26	- 203 363.46	1 193 841.89	- 188 211.18
93 52 30	1 180 071.97	- 203 067.76	1 180 408.11	- 187 915.60
93 55 00	1 166 632.78	- 202 767.18	1 166 974.44	- 187 615.14
93 57 30	1 153 193.70	- 202 461.70	1 153 540.86	- 187 309.79
94 00 00	1 139 754.74	- 202 151.34	1 140 107.41	- 186 999.56

LONGITUDE	LATITUDE 28 10 00 X	Y	LATITUDE 28 12 30 X	Y
93 00 00	1 462 758.00	- 177 942.84	1 462 978.42	- 162 789.07
93 02 30	1 449 327.93	- 177 745.04	1 449 553.87	- 162 591.36
93 05 00	1 435 897.94	- 177 542.37	1 436 129.38	- 162 388.77
93 07 30	1 422 468.02	- 177 334.80	1 422 704.97	- 162 181.29
93 10 00	1 409 038.18	- 177 122.36	1 409 280.64	- 161 968.93
93 12 30	1 395 608.41	- 176 905.04	1 395 856.38	- 161 751.70
93 15 00	1 382 178.73	- 176 682.83	1 382 432.21	- 161 529.58
93 17 30	1 368 749.12	- 176 455.74	1 369 008.12	- 161 302.58
93 20 00	1 355 319.60	- 176 223.76	1 355 584.11	- 161 070.69
93 22 30	1 341 890.17	- 175 986.90	1 342 160.18	- 160 833.93
93 25 00	1 328 460.82	- 175 745.15	1 328 736.34	- 160 592.29
93 27 30	1 315 031.56	- 175 498.53	1 315 312.59	- 160 345.77
93 30 00	1 301 602.39	- 175 247.02	1 301 888.94	- 160 094.35
93 32 30	1 288 173.32	- 174 990.63	1 288 465.37	- 159 838.07
93 35 00	1 274 744.34	- 174 729.35	1 275 041.90	- 159 576.90
93 37 30	1 261 315.45	- 174 463.19	1 261 618.52	- 159 310.85
93 40 00	1 247 886.66	- 174 192.15	1 248 195.24	- 159 039.92
93 42 30	1 234 457.97	- 173 916.23	1 234 772.06	- 158 764.11
93 45 00	1 221 029.38	- 173 635.42	1 221 348.98	- 158 483.42
93 47 30	1 207 600.90	- 173 349.73	1 207 926.01	- 158 197.84
93 50 00	1 194 172.52	- 173 059.15	1 194 503.14	- 157 907.39
93 52 30	1 180 744.24	- 172 763.70	1 181 080.38	- 157 612.06
93 55 00	1 167 316.08	- 172 463.36	1 167 657.72	- 157 311.84
93 57 30	1 153 888.02	- 172 158.14	1 154 235.17	- 157 006.74
94 00 00	1 140 460.08	- 171 848.03	1 140 812.74	- 156 696.77

LOUISIANA - SOUTH ZONE

STATE PLANE COORDINATES FOR 2½-MINUTE INTERSECTIONS — FEET

LONGITUDE	LATITUDE 28 15 00 X	LATITUDE 28 15 00 Y	LATITUDE 28 17 30 X	LATITUDE 28 17 30 Y
88 40 00	2 858 834.61	- 141 545.75	2 858 481.96	- 126 394.96
88 42 30	2 845 417.69	- 141 855.60	2 845 070.55	- 126 704.69
88 45 00	2 832 000.64	- 142 160.57	2 831 659.01	- 127 009.53
88 47 30	2 818 583.50	- 142 460.66	2 818 247.38	- 127 309.50
88 50 00	2 805 166.24	- 142 755.88	2 804 835.63	- 127 604.59
88 52 30	2 791 748.88	- 143 046.21	2 791 423.78	- 127 894.81
88 55 00	2 778 331.42	- 143 331.67	2 778 011.83	- 128 180.15
88 57 30	2 764 913.85	- 143 612.25	2 764 599.77	- 128 460.61
89 00 00	2 751 496.18	- 143 887.94	2 751 187.61	- 128 736.20

LONGITUDE	LATITUDE 28 20 00 X	LATITUDE 28 20 00 Y	LATITUDE 28 22 30 X	LATITUDE 28 22 30 Y
88 40 00	2 858 129.32	- 111 244.41	2 857 776.68	- 96 094.08
88 42 30	2 844 723.42	- 111 554.00	2 844 376.29	- 96 403.55
88 45 00	2 831 317.39	- 111 858.72	2 830 975.77	- 96 708.15
88 47 30	2 817 911.27	- 112 158.57	2 817 575.16	- 97 007.87
88 50 00	2 804 505.03	- 112 453.54	2 804 174.43	- 97 302.72
88 52 30	2 791 098.69	- 112 743.64	2 790 773.60	- 97 592.69
88 55 00	2 777 692.24	- 113 028.86	2 777 372.66	- 97 877.80
88 57 30	2 764 285.69	- 113 309.21	2 763 971.62	- 98 158.03
89 00 00	2 750 879.04	- 113 584.68	2 750 570.47	- 98 433.39

LONGITUDE	LATITUDE 28 25 00 X	LATITUDE 28 25 00 Y	LATITUDE 28 27 30 X	LATITUDE 28 27 30 Y
88 40 00	2 857 424.05	- 80 943.96	2 857 071.42	- 65 794.06
88 42 30	2 844 029.17	- 81 253.31	2 843 682.05	- 66 103.27
88 45 00	2 830 634.16	- 81 557.78	2 830 292.55	- 66 407.62
88 47 30	2 817 239.05	- 81 857.38	2 816 902.95	- 66 707.09
88 50 00	2 803 843.83	- 82 152.10	2 803 513.24	- 67 001.70
88 52 30	2 790 448.51	- 82 441.96	2 790 123.43	- 67 291.44
88 55 00	2 777 053.08	- 82 726.95	2 776 733.51	- 67 576.31
88 57 30	2 763 657.55	- 83 007.07	2 763 343.49	- 67 856.31
89 00 00	2 750 261.92	- 83 282.31	2 749 953.36	- 68 131.44

LOUISIANA - SOUTH ZONE

STATE PLANE COORDINATES FOR 2½-MINUTE INTERSECTIONS — FEET

LONGITUDE	LATITUDE 28 15 00 X	Y	LATITUDE 28 17 30 X	Y
89 00 00	2 751 496.18	- 143 887.94	2 751 187.61	- 128 736.20
89 02 30	2 738 078.41	- 144 158.76	2 737 775.35	- 129 006.90
89 05 00	2 724 660.54	- 144 424.70	2 724 362.99	- 129 272.73
89 07 30	2 711 242.58	- 144 685.76	2 710 950.54	- 129 533.69
89 10 00	2 697 824.52	- 144 941.94	2 697 537.99	- 129 789.76
89 12 30	2 684 406.38	- 145 193.25	2 684 125.35	- 130 040.97
89 15 00	2 670 988.14	- 145 439.67	2 670 712.62	- 130 287.29
89 17 30	2 657 569.81	- 145 681.22	2 657 299.80	- 130 528.74
89 20 00	2 644 151.39	- 145 917.88	2 643 886.89	- 130 765.30
89 22 30	2 630 732.89	- 146 149.67	2 630 473.91	- 130 997.00
89 25 00	2 617 314.31	- 146 376.58	2 617 060.83	- 131 223.81
89 27 30	2 603 895.65	- 146 598.61	2 603 647.68	- 131 445.75
89 30 00	2 590 476.90	- 146 815.75	2 590 234.44	- 131 662.80
89 32 30	2 577 058.08	- 147 028.02	2 576 821.13	- 131 874.98
89 35 00	2 563 639.18	- 147 235.41	2 563 407.74	- 132 082.29
89 37 30	2 550 220.20	- 147 437.92	2 549 994.28	- 132 284.71
89 40 00	2 536 801.16	- 147 635.56	2 536 580.74	- 132 482.27
89 42 30	2 523 382.04	- 147 828.30	2 523 167.13	- 132 674.94
89 45 00	2 509 962.85	- 148 016.18	2 509 753.45	- 132 862.74
89 47 30	2 496 543.60	- 148 199.17	2 496 339.71	- 133 045.65
89 50 00	2 483 124.27	- 148 377.28	2 482 925.90	- 133 223.69
89 52 30	2 469 704.89	- 148 550.51	2 469 512.02	- 133 396.85
89 55 00	2 456 285.45	- 148 718.87	2 456 098.09	- 133 565.14
89 57 30	2 442 865.94	- 148 882.35	2 442 684.09	- 133 728.55
90 00 00	2 429 446.37	- 149 040.94	2 429 270.04	- 133 887.08

LONGITUDE	LATITUDE 28 20 00 X	Y	LATITUDE 28 22 30 X	Y
89 00 00	2 750 879.04	- 113 584.68	2 750 570.47	- 98 433.39
89 02 30	2 737 472.29	- 113 855.27	2 737 169.23	- 98 703.87
89 05 00	2 724 065.44	- 114 120.99	2 723 767.89	- 98 969.48
89 07 30	2 710 658.50	- 114 381.84	2 710 366.46	- 99 230.23
89 10 00	2 697 251.46	- 114 637.81	2 696 964.93	- 99 486.09
89 12 30	2 683 844.33	- 114 888.91	2 683 563.31	- 99 737.09
89 15 00	2 670 437.11	- 115 135.13	2 670 161.60	- 99 983.21
89 17 30	2 657 029.80	- 115 376.48	2 656 759.80	- 100 224.46
89 20 00	2 643 622.40	- 115 612.95	2 643 357.91	- 100 460.83
89 22 30	2 630 214.92	- 115 844.55	2 629 955.95	- 100 692.33
89 25 00	2 616 807.36	- 116 071.27	2 616 553.89	- 100 918.96
89 27 30	2 603 399.72	- 116 293.12	2 603 151.76	- 101 140.71
89 30 00	2 589 991.99	- 116 510.08	2 589 749.54	- 101 357.59
89 32 30	2 576 584.19	- 116 722.17	2 576 347.25	- 101 569.60
89 35 00	2 563 176.31	- 116 929.40	2 562 944.88	- 101 776.73
89 37 30	2 549 768.35	- 117 131.74	2 549 542.43	- 101 978.99
89 40 00	2 536 360.33	- 117 329.21	2 536 139.92	- 102 176.38
89 42 30	2 522 952.23	- 117 521.80	2 522 737.33	- 102 368.90
89 45 00	2 509 544.06	- 117 709.52	2 509 334.67	- 102 556.54
89 47 30	2 496 135.83	- 117 892.36	2 495 931.95	- 102 739.31
89 50 00	2 482 727.53	- 118 070.33	2 482 529.15	- 102 917.20
89 52 30	2 469 319.16	- 118 243.42	2 469 126.30	- 103 090.22
89 55 00	2 455 910.74	- 118 411.64	2 455 723.39	- 103 258.37
89 57 30	2 442 502.25	- 118 574.98	2 442 320.41	- 103 421.64
90 00 00	2 429 093.71	- 118 733.44	2 428 917.37	- 103 580.04

LONGITUDE	LATITUDE 28 25 00 X	Y	LATITUDE 28 27 30 X	Y
89 00 00	2 750 261.92	- 83 282.31	2 749 953.36	- 68 131.44
89 02 30	2 736 866.18	- 83 552.68	2 736 563.14	- 68 401.70
89 05 00	2 723 470.35	- 83 818.18	2 723 172.82	- 68 667.10
89 07 30	2 710 074.43	- 84 078.82	2 709 782.40	- 68 927.63
89 10 00	2 696 678.41	- 84 334.58	2 696 391.89	- 69 183.28
89 12 30	2 683 282.30	- 84 585.47	2 683 001.29	- 69 434.07
89 15 00	2 669 886.10	- 84 831.49	2 669 610.60	- 69 679.98
89 17 30	2 656 489.81	- 85 072.64	2 656 219.82	- 69 921.04
89 20 00	2 643 093.43	- 85 308.92	2 642 828.95	- 70 157.21
89 22 30	2 629 696.97	- 85 540.32	2 629 438.00	- 70 388.53
89 25 00	2 616 300.42	- 85 766.86	2 616 046.96	- 70 614.97
89 27 30	2 602 903.80	- 85 988.52	2 602 655.85	- 70 836.54
89 30 00	2 589 507.09	- 86 205.31	2 589 264.65	- 71 053.24
89 32 30	2 576 110.31	- 86 417.23	2 575 873.38	- 71 265.07
89 35 00	2 562 713.45	- 86 624.28	2 562 482.03	- 71 472.04
89 37 30	2 549 316.52	- 86 826.46	2 549 090.60	- 71 674.13
89 40 00	2 535 919.51	- 87 023.77	2 535 699.11	- 71 871.36
89 42 30	2 522 522.43	- 87 216.20	2 522 307.54	- 72 063.71
89 45 00	2 509 125.28	- 87 403.77	2 508 915.90	- 72 251.20
89 47 30	2 495 728.07	- 87 586.46	2 495 524.19	- 72 433.82
89 50 00	2 482 330.79	- 87 764.28	2 482 132.42	- 72 611.56
89 52 30	2 468 933.44	- 87 937.22	2 468 740.59	- 72 784.44
89 55 00	2 455 536.04	- 88 105.31	2 455 348.70	- 72 952.46
89 57 30	2 442 138.57	- 88 268.51	2 441 956.74	- 73 115.59
90 00 00	2 428 741.05	- 88 426.85	2 428 564.72	- 73 273.86

LOUISIANA - SOUTH ZONE

STATE PLANE COORDINATES FOR 2½-MINUTE INTERSECTIONS

FEET

LONGITUDE	LATITUDE 28 15 00 X	LATITUDE 28 15 00 Y	LATITUDE 28 17 30 X	LATITUDE 28 17 30 Y
90 00 00	2 429 446.37	- 149 040.94	2 429 270.04	- 133 887.08
90 02 30	2 416 026.75	- 149 194.66	2 415 855.93	- 134 040.73
90 05 00	2 402 607.07	- 149 343.49	2 402 441.76	- 134 189.50
90 07 30	2 389 187.35	- 149 487.45	2 389 027.54	- 134 333.40
90 10 00	2 375 767.57	- 149 626.53	2 375 613.27	- 134 472.42
90 12 30	2 362 347.73	- 149 760.72	2 362 198.95	- 134 606.56
90 15 00	2 348 927.86	- 149 890.03	2 348 784.59	- 134 735.82
90 17 30	2 335 507.93	- 150 014.47	2 335 370.17	- 134 860.21
90 20 00	2 322 087.96	- 150 134.03	2 321 955.71	- 134 979.72
90 22 30	2 308 667.95	- 150 248.71	2 308 541.20	- 135 094.35
90 25 00	2 295 247.90	- 150 358.51	2 295 126.67	- 135 204.10
90 27 30	2 281 827.81	- 150 463.42	2 281 712.08	- 135 308.98
90 30 00	2 268 407.68	- 150 563.46	2 268 297.46	- 135 408.97
90 32 30	2 254 987.51	- 150 658.62	2 254 882.81	- 135 504.10
90 35 00	2 241 567.31	- 150 748.90	2 241 468.12	- 135 594.34
90 37 30	2 228 147.08	- 150 834.30	2 228 053.40	- 135 679.70
90 40 00	2 214 726.82	- 150 914.82	2 214 638.65	- 135 760.18
90 42 30	2 201 306.53	- 150 990.46	2 201 223.87	- 135 835.79
90 45 00	2 187 886.22	- 151 061.22	2 187 809.07	- 135 906.52
90 47 30	2 174 465.88	- 151 127.10	2 174 394.24	- 135 972.38
90 50 00	2 161 045.51	- 151 188.09	2 160 979.38	- 136 033.35
90 52 30	2 147 625.13	- 151 244.21	2 147 564.51	- 136 089.45
90 55 00	2 134 204.73	- 151 295.45	2 134 149.62	- 136 140.66
90 57 30	2 120 784.30	- 151 341.81	2 120 734.71	- 136 187.01
91 00 00	2 107 363.87	- 151 383.29	2 107 319.78	- 136 228.47

LONGITUDE	LATITUDE 28 20 00 X	LATITUDE 28 20 00 Y	LATITUDE 28 22 30 X	LATITUDE 28 22 30 Y
90 00 00	2 429 093.71	- 118 733.44	2 428 917.37	- 103 580.04
90 02 30	2 415 685.11	- 118 887.03	2 415 514.29	- 103 733.57
90 05 00	2 402 276.45	- 119 035.75	2 402 111.14	- 103 882.22
90 07 30	2 388 867.74	- 119 179.58	2 388 707.94	- 104 026.00
90 10 00	2 375 458.98	- 119 318.55	2 375 304.69	- 104 164.90
90 12 30	2 362 050.17	- 119 452.63	2 361 901.39	- 104 298.93
90 15 00	2 348 641.31	- 119 581.84	2 348 498.04	- 104 428.09
90 17 30	2 335 232.40	- 119 706.18	2 335 094.64	- 104 552.37
90 20 00	2 321 823.46	- 119 825.64	2 321 691.21	- 104 671.79
90 22 30	2 308 414.46	- 119 940.22	2 308 287.72	- 104 786.32
90 25 00	2 295 005.44	- 120 049.93	2 294 884.21	- 104 895.98
90 27 30	2 281 596.36	- 120 154.76	2 281 480.65	- 105 000.77
90 30 00	2 268 187.26	- 120 254.71	2 268 077.05	- 105 100.68
90 32 30	2 254 778.11	- 120 349.80	2 254 673.41	- 105 195.73
90 35 00	2 241 368.93	- 120 440.00	2 241 269.75	- 105 285.89
90 37 30	2 227 959.72	- 120 525.33	2 227 866.05	- 105 371.19
90 40 00	2 214 550.49	- 120 605.78	2 214 462.32	- 105 451.61
90 42 30	2 201 141.21	- 120 681.36	2 201 058.56	- 105 527.15
90 45 00	2 187 731.92	- 120 752.06	2 187 654.78	- 105 597.83
90 47 30	2 174 322.60	- 120 817.89	2 174 250.97	- 105 663.63
90 50 00	2 160 913.26	- 120 878.83	2 160 847.13	- 105 724.55
90 52 30	2 147 503.89	- 120 934.91	2 147 443.28	- 105 780.60
90 55 00	2 134 094.52	- 120 986.10	2 134 039.41	- 105 831.77
90 57 30	2 120 685.11	- 121 032.43	2 120 635.52	- 105 878.08
91 00 00	2 107 275.70	- 121 073.87	2 107 231.61	- 105 919.50

LONGITUDE	LATITUDE 28 25 00 X	LATITUDE 28 25 00 Y	LATITUDE 28 27 30 X	LATITUDE 28 27 30 Y
90 00 00	2 428 741.05	- 88 426.85	2 428 564.72	- 73 273.86
90 02 30	2 415 343.47	- 88 580.31	2 415 172.65	- 73 427.26
90 05 00	2 401 945.83	- 88 728.90	2 401 780.52	- 73 575.79
90 07 30	2 388 548.14	- 88 872.62	2 388 388.35	- 73 719.45
90 10 00	2 375 150.40	- 89 011.47	2 374 996.12	- 73 858.24
90 12 30	2 361 752.61	- 89 145.44	2 361 603.84	- 73 992.17
90 15 00	2 348 354.78	- 89 274.54	2 348 211.51	- 74 121.21
90 17 30	2 334 956.89	- 89 398.78	2 334 819.13	- 74 245.39
90 20 00	2 321 558.96	- 89 518.14	2 321 426.72	- 74 364.71
90 22 30	2 308 160.99	- 89 632.63	2 308 034.25	- 74 479.15
90 25 00	2 294 762.98	- 89 742.25	2 294 641.76	- 74 588.72
90 27 30	2 281 364.93	- 89 846.99	2 281 249.21	- 74 693.42
90 30 00	2 267 966.84	- 89 946.86	2 267 856.64	- 74 793.25
90 32 30	2 254 568.72	- 90 041.87	2 254 464.02	- 74 888.22
90 35 00	2 241 170.56	- 90 132.00	2 241 071.38	- 74 978.31
90 37 30	2 227 772.37	- 90 217.26	2 227 678.70	- 75 063.54
90 40 00	2 214 374.15	- 90 297.64	2 214 285.99	- 75 143.89
90 42 30	2 200 975.90	- 90 373.16	2 200 893.25	- 75 219.37
90 45 00	2 187 577.63	- 90 443.80	2 187 500.49	- 75 289.99
90 47 30	2 174 179.33	- 90 509.58	2 174 107.70	- 75 355.73
90 50 00	2 160 781.01	- 90 570.47	2 160 714.88	- 75 416.60
90 52 30	2 147 382.67	- 90 626.50	2 147 322.05	- 75 472.61
90 55 00	2 133 984.31	- 90 677.65	2 133 929.21	- 75 523.74
90 57 30	2 120 585.93	- 90 723.94	2 120 536.33	- 75 570.01
91 00 00	2 107 187.53	- 90 765.35	2 107 143.45	- 75 611.40

LOUISIANA - SOUTH ZONE

STATE PLANE COORDINATES FOR 2½-MINUTE INTERSECTIONS — FEET

LONGITUDE	LATITUDE 28 15 00 X	Y	LATITUDE 28 17 30 X	Y
91 00 00	2 107 363.87	- 151 383.29	2 107 319.78	- 136 228.47
91 02 30	2 093 943.41	- 151 419.89	2 093 904.84	- 136 265.05
91 05 00	2 080 522.95	- 151 451.61	2 080 489.89	- 136 296.75
91 07 30	2 067 102.47	- 151 478.45	2 067 074.92	- 136 323.58
91 10 00	2 053 681.99	- 151 500.41	2 053 659.95	- 136 345.53
91 12 30	2 040 261.50	- 151 517.49	2 040 244.97	- 136 362.61
91 15 00	2 026 841.00	- 151 529.69	2 026 829.98	- 136 374.81
91 17 30	2 013 420.50	- 151 537.01	2 013 414.99	- 136 382.12
91 20 00	2 000 000.00	- 151 539.45	2 000 000.00	- 136 384.56
91 22 30	1 986 579.50	- 151 537.01	1 986 585.01	- 136 382.12
91 25 00	1 973 159.00	- 151 529.69	1 973 170.02	- 136 374.81
91 27 30	1 959 738.50	- 151 517.49	1 959 755.03	- 136 362.61
91 30 00	1 946 318.01	- 151 500.41	1 946 340.05	- 136 345.53
91 32 30	1 932 897.53	- 151 478.45	1 932 925.08	- 136 323.58
91 35 00	1 919 477.05	- 151 451.61	1 919 510.11	- 136 296.75
91 37 30	1 906 056.59	- 151 419.89	1 906 095.16	- 136 265.05
91 40 00	1 892 636.13	- 151 383.29	1 892 680.22	- 136 228.47
91 42 30	1 879 215.70	- 151 341.81	1 879 265.29	- 136 187.01
91 45 00	1 865 795.27	- 151 295.45	1 865 850.38	- 136 140.66
91 47 30	1 852 374.87	- 151 244.21	1 852 435.49	- 136 089.45
91 50 00	1 838 954.49	- 151 188.09	1 839 020.62	- 136 033.35
91 52 30	1 825 534.12	- 151 127.10	1 825 605.76	- 135 972.38
91 55 00	1 812 113.78	- 151 061.22	1 812 190.93	- 135 906.52
91 57 30	1 798 693.47	- 150 990.46	1 798 776.13	- 135 835.79
92 00 00	1 785 273.18	- 150 914.82	1 785 361.35	- 135 760.18

LONGITUDE	LATITUDE 28 20 00 X	Y	LATITUDE 28 22 30 X	Y
91 00 00	2 107 275.70	- 121 073.87	2 107 231.61	- 105 919.50
91 02 30	2 093 866.26	- 121 110.44	2 093 827.69	- 105 956.06
91 05 00	2 080 456.82	- 121 142.13	2 080 423.76	- 105 987.74
91 07 30	2 067 047.37	- 121 168.95	2 067 019.82	- 106 014.54
91 10 00	2 053 637.91	- 121 190.89	2 053 615.86	- 106 036.48
91 12 30	2 040 228.44	- 121 207.96	2 040 211.90	- 106 053.54
91 15 00	2 026 818.96	- 121 220.15	2 026 807.94	- 106 065.72
91 17 30	2 013 409.48	- 121 227.46	2 013 403.97	- 106 073.03
91 20 00	2 000 000.00	- 121 229.90	2 000 000.00	- 106 075.47
91 22 30	1 986 590.52	- 121 227.46	1 986 596.03	- 106 073.03
91 25 00	1 973 181.04	- 121 220.15	1 973 192.06	- 106 065.72
91 27 30	1 959 771.56	- 121 207.96	1 959 788.10	- 106 053.54
91 30 00	1 946 362.09	- 121 190.89	1 946 384.14	- 106 036.48
91 32 30	1 932 952.63	- 121 168.95	1 932 980.18	- 106 014.54
91 35 00	1 919 543.18	- 121 142.13	1 919 576.24	- 105 987.74
91 37 30	1 906 133.74	- 121 110.44	1 906 172.31	- 105 956.06
91 40 00	1 892 724.30	- 121 073.87	1 892 768.39	- 105 919.50
91 42 30	1 879 314.89	- 121 032.43	1 879 364.48	- 105 878.08
91 45 00	1 865 905.48	- 120 986.10	1 865 960.59	- 105 831.77
91 47 30	1 852 496.11	- 120 934.91	1 852 556.72	- 105 780.60
91 50 00	1 839 086.74	- 120 878.83	1 839 152.87	- 105 724.55
91 52 30	1 825 677.40	- 120 817.89	1 825 749.03	- 105 663.63
91 55 00	1 812 268.08	- 120 752.06	1 812 345.22	- 105 597.83
91 57 30	1 798 858.79	- 120 681.36	1 798 941.44	- 105 527.15
92 00 00	1 785 449.51	- 120 605.78	1 785 537.68	- 105 451.61

LONGITUDE	LATITUDE 28 25 00 X	Y	LATITUDE 28 27 30 X	Y
91 00 00	2 107 187.53	- 90 765.35	2 107 143.45	- 75 611.40
91 02 30	2 093 789.12	- 90 801.89	2 093 750.55	- 75 647.93
91 05 00	2 080 390.70	- 90 833.55	2 080 357.64	- 75 679.58
91 07 30	2 066 992.26	- 90 860.35	2 066 964.71	- 75 706.36
91 10 00	2 053 593.82	- 90 882.27	2 053 571.78	- 75 728.28
91 12 30	2 040 195.37	- 90 899.33	2 040 178.84	- 75 745.32
91 15 00	2 026 796.92	- 90 911.51	2 026 785.90	- 75 757.50
91 17 30	2 013 398.46	- 90 918.81	2 013 392.95	- 75 764.80
91 20 00	2 000 000.00	- 90 921.25	2 000 000.00	- 75 767.24
91 22 30	1 986 601.54	- 90 918.81	1 986 607.05	- 75 764.80
91 25 00	1 973 203.08	- 90 911.51	1 973 214.10	- 75 757.50
91 27 30	1 959 804.63	- 90 899.33	1 959 821.16	- 75 745.32
91 30 00	1 946 406.18	- 90 882.27	1 946 428.22	- 75 728.28
91 32 30	1 933 007.74	- 90 860.35	1 933 035.29	- 75 706.36
91 35 00	1 919 609.30	- 90 833.55	1 919 642.36	- 75 679.58
91 37 30	1 906 210.88	- 90 801.89	1 906 249.45	- 75 647.93
91 40 00	1 892 812.47	- 90 765.35	1 892 856.55	- 75 611.40
91 42 30	1 879 414.07	- 90 723.94	1 879 463.67	- 75 570.01
91 45 00	1 866 015.69	- 90 677.65	1 866 070.79	- 75 523.74
91 47 30	1 852 617.33	- 90 626.50	1 852 677.95	- 75 472.61
91 50 00	1 839 218.99	- 90 570.47	1 839 285.12	- 75 416.60
91 52 30	1 825 820.67	- 90 509.58	1 825 892.30	- 75 355.73
91 55 00	1 812 422.37	- 90 443.80	1 812 499.51	- 75 289.99
91 57 30	1 799 024.10	- 90 373.16	1 799 106.75	- 75 219.37
92 00 00	1 785 625.85	- 90 297.64	1 785 714.01	- 75 143.89

LOUISIANA - SOUTH ZONE

STATE PLANE COORDINATES FOR 2½-MINUTE INTERSECTIONS — FEET

LONGITUDE	LATITUDE X 28 15 00 Y	LATITUDE X 28 17 30 Y
92 00 00	1 785 273.18 - 150 914.82	1 785 361.35 - 135 760.18
92 02 30	1 771 852.92 - 150 834.30	1 771 946.60 - 135 679.70
92 05 00	1 758 432.69 - 150 748.90	1 758 531.88 - 135 594.34
92 07 30	1 745 012.49 - 150 658.62	1 745 117.19 - 135 504.10
92 10 00	1 731 592.32 - 150 563.46	1 731 702.54 - 135 408.97
92 12 30	1 718 172.19 - 150 463.42	1 718 287.92 - 135 308.98
92 15 00	1 704 752.10 - 150 358.51	1 704 873.33 - 135 204.10
92 17 30	1 691 332.05 - 150 248.71	1 691 458.80 - 135 094.35
92 20 00	1 677 912.04 - 150 134.03	1 678 044.29 - 134 979.72
92 22 30	1 664 492.07 - 150 014.47	1 664 629.83 - 134 860.21
92 25 00	1 651 072.14 - 149 890.03	1 651 215.41 - 134 735.82
92 27 30	1 637 652.27 - 149 760.72	1 637 801.05 - 134 606.56
92 30 00	1 624 232.43 - 149 626.53	1 624 386.73 - 134 472.42
92 32 30	1 610 812.65 - 149 487.45	1 610 972.46 - 134 333.40
92 35 00	1 597 392.93 - 149 343.49	1 597 558.24 - 134 189.50
92 37 30	1 583 973.25 - 149 194.66	1 584 144.07 - 134 040.73
92 40 00	1 570 553.63 - 149 040.94	1 570 729.96 - 133 887.08
92 42 30	1 557 134.06 - 148 882.35	1 557 315.91 - 133 728.55
92 45 00	1 543 714.55 - 148 718.87	1 543 901.91 - 133 565.14
92 47 30	1 530 295.11 - 148 550.51	1 530 487.98 - 133 396.85
92 50 00	1 516 875.73 - 148 377.28	1 517 074.10 - 133 223.69
92 52 30	1 503 456.40 - 148 199.17	1 503 660.29 - 133 045.65
92 55 00	1 490 037.15 - 148 016.18	1 490 246.55 - 132 862.74
92 57 30	1 476 617.96 - 147 828.30	1 476 832.87 - 132 674.94
93 00 00	1 463 198.84 - 147 635.56	1 463 419.26 - 132 482.27

LONGITUDE	LATITUDE X 28 20 00 Y	LATITUDE X 28 22 30 Y
92 00 00	1 785 449.51 - 120 605.78	1 785 537.68 - 105 451.61
92 02 30	1 772 040.28 - 120 525.33	1 772 133.95 - 105 371.19
92 05 00	1 758 631.07 - 120 440.00	1 758 730.25 - 105 285.89
92 07 30	1 745 221.89 - 120 349.80	1 745 326.59 - 105 195.73
92 10 00	1 731 812.74 - 120 254.71	1 731 922.95 - 105 100.68
92 12 30	1 718 403.64 - 120 154.76	1 718 519.35 - 105 000.77
92 15 00	1 704 994.56 - 120 049.93	1 705 115.79 - 104 895.98
92 17 30	1 691 585.54 - 119 940.22	1 691 712.28 - 104 786.32
92 20 00	1 678 176.54 - 119 825.64	1 678 308.79 - 104 671.79
92 22 30	1 664 767.60 - 119 706.18	1 664 905.36 - 104 552.37
92 25 00	1 651 358.69 - 119 581.84	1 651 501.96 - 104 428.09
92 27 30	1 637 949.83 - 119 452.63	1 638 098.61 - 104 298.93
92 30 00	1 624 541.02 - 119 318.55	1 624 695.31 - 104 164.90
92 32 30	1 611 132.26 - 119 179.58	1 611 292.06 - 104 026.00
92 35 00	1 597 723.55 - 119 035.75	1 597 888.86 - 103 882.22
92 37 30	1 584 314.89 - 118 887.03	1 584 485.71 - 103 733.57
92 40 00	1 570 906.29 - 118 733.44	1 571 082.63 - 103 580.04
92 42 30	1 557 497.75 - 118 574.98	1 557 679.59 - 103 421.64
92 45 00	1 544 089.26 - 118 411.64	1 544 276.61 - 103 258.37
92 47 30	1 530 680.84 - 118 243.42	1 530 873.70 - 103 090.22
92 50 00	1 517 272.47 - 118 070.33	1 517 470.85 - 102 917.20
92 52 30	1 503 864.17 - 117 892.36	1 504 068.05 - 102 739.31
92 55 00	1 490 455.94 - 117 709.52	1 490 665.33 - 102 556.54
92 57 30	1 477 047.77 - 117 521.80	1 477 262.67 - 102 368.90
93 00 00	1 463 639.67 - 117 329.21	1 463 860.08 - 102 176.38

LONGITUDE	LATITUDE X 28 25 00 Y	LATITUDE X 28 27 30 Y
92 00 00	1 785 625.85 - 90 297.64	1 785 714.01 - 75 143.89
92 02 30	1 772 227.63 - 90 217.26	1 772 321.30 - 75 063.54
92 05 00	1 758 829.44 - 90 132.00	1 758 928.62 - 74 978.31
92 07 30	1 745 431.28 - 90 041.87	1 745 535.98 - 74 888.22
92 10 00	1 732 033.16 - 89 946.86	1 732 143.36 - 74 793.25
92 12 30	1 718 635.07 - 89 846.99	1 718 750.79 - 74 693.42
92 15 00	1 705 237.02 - 89 742.25	1 705 358.24 - 74 588.72
92 17 30	1 691 839.01 - 89 632.63	1 691 965.75 - 74 479.15
92 20 00	1 678 441.04 - 89 518.14	1 678 573.28 - 74 364.71
92 22 30	1 665 043.11 - 89 398.78	1 665 180.87 - 74 245.39
92 25 00	1 651 645.22 - 89 274.54	1 651 788.49 - 74 121.21
92 27 30	1 638 247.39 - 89 145.44	1 638 396.16 - 73 992.17
92 30 00	1 624 849.60 - 89 011.47	1 625 003.88 - 73 858.24
92 32 30	1 611 451.86 - 88 872.62	1 611 611.65 - 73 719.45
92 35 00	1 598 054.17 - 88 728.90	1 598 219.48 - 73 575.79
92 37 30	1 584 656.53 - 88 580.31	1 584 827.35 - 73 427.26
92 40 00	1 571 258.95 - 88 426.85	1 571 435.28 - 73 273.86
92 42 30	1 557 861.43 - 88 268.51	1 558 043.26 - 73 115.59
92 45 00	1 544 463.96 - 88 105.31	1 544 651.30 - 72 952.46
92 47 30	1 531 066.56 - 87 937.22	1 531 259.41 - 72 784.44
92 50 00	1 517 669.21 - 87 764.28	1 517 867.58 - 72 611.56
92 52 30	1 504 271.93 - 87 586.46	1 504 475.81 - 72 433.82
92 55 00	1 490 874.72 - 87 403.77	1 491 084.10 - 72 251.20
92 57 30	1 477 477.57 - 87 216.20	1 477 692.46 - 72 063.71
93 00 00	1 464 080.49 - 87 023.77	1 464 300.89 - 71 871.36

LOUISIANA - SOUTH ZONE

STATE PLANE COORDINATES FOR 2½-MINUTE INTERSECTIONS

FEET

LONGITUDE	LATITUDE 28 15 00 X	LATITUDE 28 15 00 Y	LATITUDE 28 17 30 X	LATITUDE 28 17 30 Y
93 00 00	1 463 198.84	- 147 635.56	1 463 419.26	- 132 482.27
93 02 30	1 449 779.80	- 147 437.92	1 450 005.72	- 132 284.71
93 05 00	1 436 360.82	- 147 235.41	1 436 592.26	- 132 082.29
93 07 30	1 422 941.92	- 147 028.02	1 423 178.87	- 131 874.98
93 10 00	1 409 523.10	- 146 815.75	1 409 765.56	- 131 662.80
93 12 30	1 396 104.35	- 146 598.61	1 396 352.32	- 131 445.75
93 15 00	1 382 685.69	- 146 376.58	1 382 939.17	- 131 223.81
93 17 30	1 369 267.11	- 146 149.67	1 369 526.09	- 130 997.00
93 20 00	1 355 848.61	- 145 917.88	1 356 113.11	- 130 765.30
93 22 30	1 342 430.19	- 145 681.22	1 342 700.20	- 130 528.74
93 25 00	1 329 011.86	- 145 439.67	1 329 287.38	- 130 287.29
93 27 30	1 315 593.62	- 145 193.25	1 315 874.65	- 130 040.97
93 30 00	1 302 175.48	- 144 941.94	1 302 462.01	- 129 789.76
93 32 30	1 288 757.42	- 144 685.76	1 289 049.46	- 129 533.69
93 35 00	1 275 339.46	- 144 424.70	1 275 637.01	- 129 272.73
93 37 30	1 261 921.59	- 144 158.76	1 262 224.65	- 129 006.90
93 40 00	1 248 503.82	- 143 887.94	1 248 812.39	- 128 736.20
93 42 30	1 235 086.15	- 143 612.25	1 235 400.23	- 128 460.61
93 45 00	1 221 668.58	- 143 331.67	1 221 988.17	- 128 180.15
93 47 30	1 208 251.12	- 143 046.21	1 208 576.22	- 127 894.81
93 50 00	1 194 833.76	- 142 755.88	1 195 164.37	- 127 604.59
93 52 30	1 181 416.50	- 142 460.66	1 181 752.62	- 127 309.50
93 55 00	1 167 999.36	- 142 160.57	1 168 340.99	- 127 009.53
93 57 30	1 154 582.31	- 141 855.60	1 154 929.45	- 126 704.69
94 00 00	1 141 165.39	- 141 545.75	1 141 518.04	- 126 394.96

LONGITUDE	LATITUDE 28 20 00 X	LATITUDE 28 20 00 Y	LATITUDE 28 22 30 X	LATITUDE 28 22 30 Y
93 00 00	1 463 639.67	- 117 329.21	1 463 860.08	- 102 176.38
93 02 30	1 450 231.65	- 117 131.74	1 450 457.57	- 101 978.99
93 05 00	1 436 823.69	- 116 929.40	1 437 055.12	- 101 776.73
93 07 30	1 423 415.81	- 116 722.17	1 423 652.75	- 101 569.60
93 10 00	1 410 008.01	- 116 510.08	1 410 250.46	- 101 357.59
93 12 30	1 396 600.28	- 116 293.12	1 396 848.24	- 101 140.71
93 15 00	1 383 192.64	- 116 071.27	1 383 446.11	- 100 918.96
93 17 30	1 369 785.08	- 115 844.55	1 370 044.05	- 100 692.33
93 20 00	1 356 377.60	- 115 612.95	1 356 642.09	- 100 460.83
93 22 30	1 342 970.20	- 115 376.48	1 343 240.20	- 100 224.46
93 25 00	1 329 562.89	- 115 135.13	1 329 838.40	- 99 983.21
93 27 30	1 316 155.67	- 114 888.91	1 316 436.69	- 99 737.09
93 30 00	1 302 748.54	- 114 637.81	1 303 035.07	- 99 486.09
93 32 30	1 289 341.50	- 114 381.84	1 289 633.54	- 99 230.23
93 35 00	1 275 934.56	- 114 120.99	1 276 232.11	- 98 969.48
93 37 30	1 262 527.71	- 113 855.27	1 262 830.77	- 98 703.87
93 40 00	1 249 120.96	- 113 584.68	1 249 429.53	- 98 433.39
93 42 30	1 235 714.31	- 113 309.21	1 236 028.38	- 98 158.03
93 45 00	1 222 307.76	- 113 028.86	1 222 627.34	- 97 877.80
93 47 30	1 208 901.31	- 112 743.64	1 209 226.40	- 97 592.69
93 50 00	1 195 494.97	- 112 453.54	1 195 825.57	- 97 302.72
93 52 30	1 182 088.73	- 112 158.57	1 182 424.84	- 97 007.87
93 55 00	1 168 682.61	- 111 858.72	1 169 024.23	- 96 708.15
93 57 30	1 155 276.58	- 111 554.00	1 155 623.71	- 96 403.55
94 00 00	1 141 870.68	- 111 244.41	1 142 223.32	- 96 094.08

LONGITUDE	LATITUDE 28 25 00 X	LATITUDE 28 25 00 Y	LATITUDE 28 27 30 X	LATITUDE 28 27 30 Y
93 00 00	1 464 080.49	- 87 023.77	1 464 300.89	- 71 871.36
93 02 30	1 450 683.48	- 86 826.46	1 450 909.40	- 71 674.13
93 05 00	1 437 286.55	- 86 624.28	1 437 517.97	- 71 472.04
93 07 30	1 423 889.69	- 86 417.23	1 424 126.62	- 71 265.07
93 10 00	1 410 492.91	- 86 205.31	1 410 735.35	- 71 053.24
93 12 30	1 397 096.20	- 85 988.52	1 397 344.15	- 70 836.54
93 15 00	1 383 699.58	- 85 766.86	1 383 953.04	- 70 614.97
93 17 30	1 370 303.03	- 85 540.32	1 370 562.00	- 70 388.53
93 20 00	1 356 906.57	- 85 308.92	1 357 171.05	- 70 157.21
93 22 30	1 343 510.19	- 85 072.64	1 343 780.18	- 69 921.04
93 25 00	1 330 113.90	- 84 831.49	1 330 389.40	- 69 679.98
93 27 30	1 316 717.70	- 84 585.47	1 316 998.71	- 69 434.07
93 30 00	1 303 321.59	- 84 334.58	1 303 608.11	- 69 183.28
93 32 30	1 289 925.57	- 84 078.82	1 290 217.60	- 68 927.63
93 35 00	1 276 529.65	- 83 818.18	1 276 827.18	- 68 667.10
93 37 30	1 263 133.82	- 83 552.68	1 263 436.86	- 68 401.70
93 40 00	1 249 738.08	- 83 282.31	1 250 046.64	- 68 131.44
93 42 30	1 236 342.45	- 83 007.07	1 236 656.51	- 67 856.31
93 45 00	1 222 946.92	- 82 726.95	1 223 266.49	- 67 576.31
93 47 30	1 209 551.49	- 82 441.96	1 209 876.57	- 67 291.44
93 50 00	1 196 156.17	- 82 152.10	1 196 486.76	- 67 001.70
93 52 30	1 182 760.95	- 81 857.38	1 183 097.05	- 66 707.09
93 55 00	1 169 365.84	- 81 557.78	1 169 707.45	- 66 407.62
93 57 30	1 155 970.83	- 81 253.31	1 156 317.95	- 66 103.27
94 00 00	1 142 575.95	- 80 943.96	1 142 928.58	- 65 794.06

LOUISIANA - SOUTH ZONE

STATE PLANE COORDINATES FOR 2½-MINUTE INTERSECTIONS — FEET

LONGITUDE	LATITUDE 28 00		LATITUDE 28 30	
	X	Y	X	Y
88 40 00	2 856 718.80	- 50 644.34	2 856 366.18	- 35 494.82
88 42 30	2 843 334.93	- 50 953.43	2 842 987.82	- 35 803.78
88 45 00	2 829 950.94	- 51 257.65	2 829 609.34	- 36 107.88
88 47 30	2 816 566.85	- 51 557.00	2 816 230.76	- 36 407.11
88 50 00	2 803 182.65	- 51 851.49	2 802 852.07	- 36 701.47
88 52 30	2 789 798.35	- 52 141.11	2 789 473.27	- 36 990.97
88 55 00	2 776 413.94	- 52 425.86	2 776 094.37	- 37 275.61
88 57 30	2 763 029.43	- 52 705.75	2 762 715.37	- 37 555.38
89 00 00	2 749 644.81	- 52 980.76	2 749 336.26	- 37 830.29

LONGITUDE	LATITUDE 28 35		LATITUDE 28 37	
	X	Y	X	Y
88 40 00	2 856 013.57	- 20 345.49	2 855 660.96	- 5 196.33
88 42 30	2 842 640.72	- 20 654.32	2 842 293.62	- 5 505.04
88 45 00	2 829 267.75	- 20 958.29	2 828 926.15	- 5 808.88
88 47 30	2 815 894.67	- 21 257.40	2 815 558.59	- 6 107.86
88 50 00	2 802 521.49	- 21 551.64	2 802 190.91	- 6 401.99
88 52 30	2 789 148.20	- 21 841.02	2 788 823.14	- 6 691.25
88 55 00	2 775 774.81	- 22 125.54	2 775 455.25	- 6 975.65
88 57 30	2 762 401.32	- 22 405.20	2 762 087.27	- 7 255.19
89 00 00	2 749 027.72	- 22 679.99	2 748 719.18	- 7 529.87

LONGITUDE	LATITUDE 28 40		LATITUDE 28 42	
	X	Y	X	Y
88 40 00	2 855 308.36	9 952.67	2 854 955.75	25 101.50
88 42 30	2 841 946.52	9 644.09	2 841 599.43	24 793.05
88 45 00	2 828 584.57	9 340.37	2 828 242.98	24 489.46
88 47 30	2 815 222.51	9 041.51	2 814 886.43	24 190.72
88 50 00	2 801 860.34	8 747.51	2 801 529.77	23 896.84
88 52 30	2 788 498.07	8 458.37	2 788 173.01	23 607.82
88 55 00	2 775 135.70	8 174.08	2 774 816.15	23 323.65
88 57 30	2 761 773.22	7 894.65	2 761 459.18	23 044.34
89 00 00	2 748 410.64	7 620.09	2 748 102.11	22 769.89

LOUISIANA - SOUTH ZONE

STATE PLANE COORDINATES FOR 2½-MINUTE INTERSECTIONS

FEET

LONGITUDE	LATITUDE 28 00 X	LATITUDE 28 00 Y	LATITUDE 28 30 X	LATITUDE 28 30 Y
89 00 00	2 749 644.81	- 52 980.76	2 749 336.26	- 37 830.29
89 02 30	2 736 260.09	- 53 250.91	2 735 957.06	- 38 100.32
89 05 00	2 722 875.28	- 53 516.20	2 722 577.75	- 38 365.50
89 07 30	2 709 490.38	- 53 776.62	2 709 198.36	- 38 625.81
89 10 00	2 696 105.38	- 54 032.17	2 695 818.87	- 38 881.26
89 12 30	2 682 720.29	- 54 282.86	2 682 439.28	- 39 131.84
89 15 00	2 669 335.10	- 54 528.67	2 669 059.61	- 39 377.55
89 17 30	2 655 949.83	- 54 769.62	2 655 679.85	- 39 618.41
89 20 00	2 642 564.47	- 55 005.70	2 642 300.00	- 39 854.39
89 22 30	2 629 179.03	- 55 236.92	2 628 920.07	- 40 085.51
89 25 00	2 615 793.50	- 55 463.27	2 615 540.05	- 40 311.77
89 27 30	2 602 407.90	- 55 684.75	2 602 159.95	- 40 533.16
89 30 00	2 589 022.21	- 55 901.36	2 588 779.78	- 40 749.68
89 32 30	2 575 636.45	- 56 113.10	2 575 399.52	- 40 961.34
89 35 00	2 562 250.61	- 56 319.99	2 562 019.19	- 41 168.13
89 37 30	2 548 864.69	- 56 521.99	2 548 638.78	- 41 370.06
89 40 00	2 535 478.71	- 56 719.14	2 535 258.31	- 41 567.13
89 42 30	2 522 092.65	- 56 911.42	2 521 877.76	- 41 759.32
89 45 00	2 508 706.52	- 57 098.83	2 508 497.14	- 41 946.66
89 47 30	2 495 320.32	- 57 281.37	2 495 116.45	- 42 129.12
89 50 00	2 481 934.06	- 57 459.04	2 481 735.70	- 42 306.72
89 52 30	2 468 547.74	- 57 631.85	2 468 354.89	- 42 479.46
89 55 00	2 455 161.35	- 57 799.79	2 454 974.01	- 42 647.33
89 57 30	2 441 774.90	- 57 962.86	2 441 593.07	- 42 810.33
90 00 00	2 428 388.40	- 58 121.07	2 428 212.08	- 42 968.47

LONGITUDE	LATITUDE 28 35 X	LATITUDE 28 35 Y	LATITUDE 28 37 X	LATITUDE 28 37 Y
89 00 00	2 749 027.72	- 22 679.99	2 748 719.18	- 7 529.87
89 02 30	2 735 654.02	- 22 949.92	2 735 350.99	- 7 799.69
89 05 00	2 722 280.23	- 23 214.98	2 721 982.71	- 8 064.64
89 07 30	2 708 906.34	- 23 475.19	2 708 614.33	- 8 324.74
89 10 00	2 695 532.36	- 23 730.52	2 695 245.85	- 8 579.97
89 12 30	2 682 158.29	- 23 981.01	2 681 877.29	- 8 830.35
89 15 00	2 668 784.12	- 24 226.62	2 668 508.64	- 9 075.86
89 17 30	2 655 409.87	- 24 467.37	2 655 139.89	- 9 316.52
89 20 00	2 642 035.53	- 24 703.26	2 641 771.06	- 9 552.31
89 22 30	2 628 661.11	- 24 934.29	2 628 402.15	- 9 783.24
89 25 00	2 615 286.60	- 25 160.44	2 615 033.15	- 10 009.30
89 27 30	2 601 912.01	- 25 381.75	2 601 664.07	- 10 230.52
89 30 00	2 588 537.34	- 25 598.18	2 588 294.91	- 10 446.86
89 32 30	2 575 162.60	- 25 809.75	2 574 925.68	- 10 658.34
89 35 00	2 561 787.77	- 26 016.46	2 561 556.36	- 10 864.97
89 37 30	2 548 412.88	- 26 218.30	2 548 186.98	- 11 066.73
89 40 00	2 535 037.91	- 26 415.29	2 534 817.52	- 11 263.63
89 42 30	2 521 662.87	- 26 607.40	2 521 447.99	- 11 455.67
89 45 00	2 508 287.76	- 26 794.66	2 508 078.39	- 11 642.85
89 47 30	2 494 912.58	- 26 977.05	2 494 708.72	- 11 825.16
89 50 00	2 481 537.34	- 27 154.58	2 481 338.99	- 12 002.62
89 52 30	2 468 162.04	- 27 327.24	2 467 969.19	- 12 175.21
89 55 00	2 454 786.67	- 27 495.05	2 454 599.34	- 12 342.95
89 57 30	2 441 411.24	- 27 657.99	2 441 229.42	- 12 505.82
90 00 00	2 428 035.76	- 27 816.06	2 427 859.44	- 12 663.82

LONGITUDE	LATITUDE 28 40 X	LATITUDE 28 40 Y	LATITUDE 28 42 X	LATITUDE 28 42 Y
89 00 00	2 748 410.64	7 620.09	2 748 102.11	22 769.89
89 02 30	2 735 047.96	7 350.38	2 734 744.94	22 500.29
89 05 00	2 721 685.19	7 085.54	2 721 387.67	22 235.56
89 07 30	2 708 322.32	6 825.54	2 708 030.31	21 975.67
89 10 00	2 694 959.35	6 570.42	2 694 672.86	21 720.65
89 12 30	2 681 596.30	6 320.14	2 681 315.31	21 470.48
89 15 00	2 668 233.15	6 074.73	2 667 957.67	21 225.17
89 17 30	2 654 869.92	5 834.18	2 654 599.95	20 984.71
89 20 00	2 641 506.60	5 598.49	2 641 242.13	20 749.12
89 22 30	2 628 143.19	5 367.65	2 627 884.24	20 518.37
89 25 00	2 614 779.70	5 141.68	2 614 526.26	20 292.50
89 27 30	2 601 416.13	4 920.56	2 601 168.20	20 071.47
89 30 00	2 588 052.48	4 704.30	2 587 810.06	19 855.30
89 32 30	2 574 688.76	4 492.91	2 574 451.84	19 644.00
89 35 00	2 561 324.95	4 286.37	2 561 093.55	19 437.54
89 37 30	2 547 961.08	4 084.69	2 547 735.18	19 235.95
89 40 00	2 534 597.13	3 887.87	2 534 376.74	19 039.20
89 42 30	2 521 233.11	3 695.91	2 521 018.23	18 847.32
89 45 00	2 507 869.02	3 508.80	2 507 659.65	18 660.30
89 47 30	2 494 504.86	3 326.56	2 494 301.00	18 478.13
89 50 00	2 481 140.63	3 149.18	2 480 942.28	18 300.83
89 52 30	2 467 776.35	2 976.66	2 467 583.51	18 128.38
89 55 00	2 454 412.00	2 808.99	2 454 224.67	17 960.78
89 57 30	2 441 047.59	2 646.19	2 440 865.77	17 798.04
90 00 00	2 427 683.13	2 488.25	2 427 506.81	17 640.16

LOUISIANA - SOUTH ZONE

STATE PLANE COORDINATES FOR 2½-MINUTE INTERSECTIONS

FEET

LONGITUDE	LATITUDE 28 30 00 X	Y	LATITUDE 28 32 30 X	Y
90 00 00	2 428 388.40	- 58 121.07	2 428 212.08	- 42 968.47
90 02 30	2 415 001.84	- 58 274.40	2 414 831.03	- 43 121.75
90 05 00	2 401 615.22	- 58 422.87	2 401 449.92	- 43 270.15
90 07 30	2 388 228.55	- 58 566.47	2 388 068.76	- 43 413.70
90 10 00	2 374 841.83	- 58 705.21	2 374 687.55	- 43 552.37
90 12 30	2 361 455.06	- 58 839.08	2 361 306.29	- 43 686.19
90 15 00	2 348 068.25	- 58 968.07	2 347 924.99	- 43 815.13
90 17 30	2 334 681.38	- 59 092.20	2 334 543.63	- 43 939.21
90 20 00	2 321 294.47	- 59 211.47	2 321 162.23	- 44 058.42
90 22 30	2 307 907.52	- 59 325.86	2 307 780.79	- 44 172.77
90 25 00	2 294 520.53	- 59 435.39	2 294 399.31	- 44 282.25
90 27 30	2 281 133.50	- 59 540.04	2 281 017.79	- 44 386.87
90 30 00	2 267 746.43	- 59 639.83	2 267 636.23	- 44 486.61
90 32 30	2 254 359.33	- 59 734.76	2 254 254.64	- 44 581.51
90 35 00	2 240 972.19	- 59 824.82	2 240 873.01	- 44 671.52
90 37 30	2 227 585.02	- 59 910.01	2 227 491.35	- 44 756.68
90 40 00	2 214 197.83	- 59 990.33	2 214 109.66	- 44 836.96
90 42 30	2 200 810.60	- 60 065.78	2 200 727.94	- 44 912.38
90 45 00	2 187 423.34	- 60 136.37	2 187 346.20	- 44 982.94
90 47 30	2 174 036.07	- 60 202.08	2 173 964.43	- 45 048.63
90 50 00	2 160 648.76	- 60 262.93	2 160 582.64	- 45 109.45
90 52 30	2 147 261.44	- 60 318.91	2 147 200.83	- 45 165.41
90 55 00	2 133 874.10	- 60 370.02	2 133 819.00	- 45 216.50
90 57 30	2 120 486.74	- 60 416.27	2 120 437.15	- 45 262.73
91 00 00	2 107 099.37	- 60 457.65	2 107 055.29	- 45 304.09

LONGITUDE	LATITUDE 28 35 00 X	Y	LATITUDE 28 37 30 X	Y
90 00 00	2 428 035.76	- 27 816.06	2 427 859.44	- 12 663.82
90 02 30	2 414 660.22	- 27 969.27	2 414 489.41	- 12 816.97
90 05 00	2 401 284.62	- 28 117.62	2 401 119.32	- 12 965.26
90 07 30	2 387 908.97	- 28 261.10	2 387 749.18	- 13 108.68
90 10 00	2 374 533.27	- 28 399.72	2 374 379.00	- 13 247.24
90 12 30	2 361 157.52	- 28 533.48	2 361 008.75	- 13 380.95
90 15 00	2 347 781.73	- 28 662.36	2 347 638.47	- 13 509.78
90 17 30	2 334 405.88	- 28 786.39	2 334 268.13	- 13 633.76
90 20 00	2 321 029.99	- 28 905.56	2 320 897.75	- 13 752.88
90 22 30	2 307 654.06	- 29 019.86	2 307 527.33	- 13 867.13
90 25 00	2 294 278.09	- 29 129.30	2 294 156.87	- 13 976.52
90 27 30	2 280 902.08	- 29 233.87	2 280 786.37	- 14 081.05
90 30 00	2 267 526.03	- 29 333.58	2 267 415.83	- 14 180.72
90 32 30	2 254 149.94	- 29 428.43	2 254 045.26	- 14 275.53
90 35 00	2 240 773.83	- 29 518.41	2 240 674.65	- 14 365.47
90 37 30	2 227 397.68	- 29 603.52	2 227 304.01	- 14 450.55
90 40 00	2 214 021.50	- 29 683.78	2 213 933.34	- 14 530.78
90 42 30	2 200 645.29	- 29 759.17	2 200 562.64	- 14 606.14
90 45 00	2 187 269.06	- 29 829.70	2 187 191.92	- 14 676.63
90 47 30	2 173 892.80	- 29 895.36	2 173 821.17	- 14 742.27
90 50 00	2 160 516.52	- 29 956.16	2 160 450.40	- 14 803.04
90 52 30	2 147 140.22	- 30 012.09	2 147 079.61	- 14 858.96
90 55 00	2 133 763.90	- 30 063.16	2 133 708.80	- 14 910.00
90 57 30	2 120 387.56	- 30 109.37	2 120 337.97	- 14 956.19
91 00 00	2 107 011.21	- 30 150.71	2 106 967.13	- 14 997.52

LONGITUDE	LATITUDE 28 40 00 X	Y	LATITUDE 28 42 30 X	Y
90 00 00	2 427 683.13	2 488.25	2 427 506.81	17 640.16
90 02 30	2 414 318.61	2 335.17	2 414 147.80	17 487.14
90 05 00	2 400 954.03	2 186.94	2 400 788.73	17 338.98
90 07 30	2 387 589.40	2 043.58	2 387 429.61	17 195.67
90 10 00	2 374 224.72	1 905.07	2 374 070.44	17 057.22
90 12 30	2 360 859.98	1 771.42	2 360 711.22	16 923.63
90 15 00	2 347 495.21	1 642.64	2 347 351.95	16 794.91
90 17 30	2 334 130.38	1 518.71	2 333 992.63	16 671.03
90 20 00	2 320 765.51	1 399.65	2 320 633.28	16 552.01
90 22 30	2 307 400.60	1 285.44	2 307 273.87	16 437.85
90 25 00	2 294 035.65	1 176.09	2 293 914.44	16 328.55
90 27 30	2 280 670.66	1 071.61	2 280 554.95	16 224.11
90 30 00	2 267 305.63	971.98	2 267 195.43	16 124.52
90 32 30	2 253 940.57	877.21	2 253 835.88	16 029.79
90 35 00	2 240 575.47	787.30	2 240 476.29	15 939.92
90 37 30	2 227 210.34	702.26	2 227 116.67	15 854.91
90 40 00	2 213 845.18	622.07	2 213 757.03	15 774.75
90 42 30	2 200 479.99	546.74	2 200 397.35	15 699.45
90 45 00	2 187 114.78	476.27	2 187 037.64	15 629.01
90 47 30	2 173 749.54	410.66	2 173 677.92	15 563.43
90 50 00	2 160 384.28	349.92	2 160 318.16	15 502.71
90 52 30	2 147 019.00	294.02	2 146 958.39	15 446.84
90 55 00	2 133 653.70	243.00	2 133 598.60	15 395.84
90 57 30	2 120 288.38	196.82	2 120 238.79	15 349.68
91 00 00	2 106 923.05	155.52	2 106 878.97	15 308.39

LOUISIANA - SOUTH ZONE

STATE PLANE COORDINATES FOR 2½-MINUTE INTERSECTIONS — FEET

LONGITUDE	LATITUDE 28 00 X	LATITUDE 28 00 Y	LATITUDE 28 30 X	LATITUDE 28 30 Y
91 00 00	2 107 099.37	- 60 457.65	2 107 055.29	- 45 304.09
91 02 30	2 093 711.98	- 60 494.15	2 093 673.40	- 45 340.58
91 05 00	2 080 324.58	- 60 525.80	2 080 291.52	- 45 372.21
91 07 30	2 066 937.16	- 60 552.57	2 066 909.61	- 45 398.97
91 10 00	2 053 549.74	- 60 574.47	2 053 527.70	- 45 420.87
91 12 30	2 040 162.31	- 60 591.51	2 040 145.78	- 45 437.90
91 15 00	2 026 774.88	- 60 603.69	2 026 763.86	- 45 450.07
91 17 30	2 013 387.44	- 60 610.98	2 013 381.93	- 45 457.36
91 20 00	2 000 000.00	- 60 613.42	2 000 000.00	- 45 459.80
91 22 30	1 986 612.56	- 60 610.98	1 986 618.07	- 45 457.36
91 25 00	1 973 225.12	- 60 603.69	1 973 236.14	- 45 450.07
91 27 30	1 959 837.69	- 60 591.51	1 959 854.22	- 45 437.90
91 30 00	1 946 450.26	- 60 574.47	1 946 472.30	- 45 420.87
91 32 30	1 933 062.84	- 60 552.57	1 933 090.39	- 45 398.97
91 35 00	1 919 675.42	- 60 525.80	1 919 708.48	- 45 372.21
91 37 30	1 906 288.02	- 60 494.15	1 906 326.60	- 45 340.58
91 40 00	1 892 900.63	- 60 457.65	1 892 944.71	- 45 304.09
91 42 30	1 879 513.26	- 60 416.27	1 879 562.85	- 45 262.73
91 45 00	1 866 125.90	- 60 370.02	1 866 181.00	- 45 216.50
91 47 30	1 852 738.56	- 60 318.91	1 852 799.17	- 45 165.41
91 50 00	1 839 351.24	- 60 262.93	1 839 417.36	- 45 109.45
91 52 30	1 825 963.93	- 60 202.08	1 826 035.57	- 45 048.63
91 55 00	1 812 576.66	- 60 136.37	1 812 653.80	- 44 982.94
91 57 30	1 799 189.40	- 60 065.78	1 799 272.06	- 44 912.38
92 00 00	1 785 802.17	- 59 990.33	1 785 890.34	- 44 836.96

LONGITUDE	LATITUDE 28 35 X	LATITUDE 28 35 Y	LATITUDE 28 37 X	LATITUDE 28 37 Y
91 00 00	2 107 011.21	- 30 150.71	2 106 967.13	- 14 997.52
91 02 30	2 093 634.83	- 30 187.19	2 093 596.26	- 15 033.98
91 05 00	2 080 258.45	- 30 218.81	2 080 225.39	- 15 065.58
91 07 30	2 066 882.06	- 30 245.56	2 066 854.51	- 15 092.32
91 10 00	2 053 505.66	- 30 267.45	2 053 483.62	- 15 114.20
91 12 30	2 040 129.25	- 30 284.47	2 040 112.72	- 15 131.22
91 15 00	2 026 752.84	- 30 296.63	2 026 741.82	- 15 143.38
91 17 30	2 013 376.42	- 30 303.92	2 013 370.91	- 15 150.67
91 20 00	2 000 000.00	- 30 306.36	2 000 000.00	- 15 153.10
91 22 30	1 986 623.58	- 30 303.92	1 986 629.09	- 15 150.67
91 25 00	1 973 247.16	- 30 296.63	1 973 258.18	- 15 143.38
91 27 30	1 959 870.75	- 30 284.47	1 959 887.28	- 15 131.22
91 30 00	1 946 494.34	- 30 267.45	1 946 516.38	- 15 114.20
91 32 30	1 933 117.94	- 30 245.56	1 933 145.49	- 15 092.32
91 35 00	1 919 741.55	- 30 218.81	1 919 774.61	- 15 065.58
91 37 30	1 906 365.17	- 30 187.19	1 906 403.74	- 15 033.98
91 40 00	1 892 988.79	- 30 150.71	1 893 032.87	- 14 997.52
91 42 30	1 879 612.44	- 30 109.37	1 879 662.03	- 14 956.19
91 45 00	1 866 236.10	- 30 063.16	1 866 291.20	- 14 910.00
91 47 30	1 852 859.78	- 30 012.09	1 852 920.39	- 14 858.96
91 50 00	1 839 483.48	- 29 956.16	1 839 549.60	- 14 803.04
91 52 30	1 826 107.20	- 29 895.36	1 826 178.83	- 14 742.27
91 55 00	1 812 730.94	- 29 829.70	1 812 808.08	- 14 676.63
91 57 30	1 799 354.71	- 29 759.17	1 799 437.36	- 14 606.14
92 00 00	1 785 978.50	- 29 683.78	1 786 066.66	- 14 530.78

LONGITUDE	LATITUDE 28 40 X	LATITUDE 28 40 Y	LATITUDE 28 42 X	LATITUDE 28 42 Y
91 00 00	2 106 923.05	155.52	2 106 878.97	15 308.39
91 02 30	2 093 557.69	119.07	2 093 519.12	15 271.96
91 05 00	2 080 192.34	87.48	2 080 159.28	15 240.38
91 07 30	2 066 826.96	60.75	2 066 799.41	15 213.67
91 10 00	2 053 461.58	38.88	2 053 439.54	15 191.81
91 12 30	2 040 096.19	21.87	2 040 079.66	15 174.80
91 15 00	2 026 730.80	9.72	2 026 719.78	15 162.65
91 17 30	2 013 365.40	2.43	2 013 359.89	15 155.37
91 20 00	2 000 000.00		2 000 000.00	15 152.94
91 22 30	1 986 634.60	2.43	1 986 640.11	15 155.37
91 25 00	1 973 269.20	9.72	1 973 280.22	15 162.65
91 27 30	1 959 903.81	21.87	1 959 920.34	15 174.80
91 30 00	1 946 538.42	38.88	1 946 560.46	15 191.81
91 32 30	1 933 173.04	60.75	1 933 200.59	15 213.67
91 35 00	1 919 807.66	87.48	1 919 840.72	15 240.38
91 37 30	1 906 442.31	119.07	1 906 480.88	15 271.96
91 40 00	1 893 076.95	155.52	1 893 121.03	15 308.39
91 42 30	1 879 711.62	196.82	1 879 761.21	15 349.68
91 45 00	1 866 346.30	243.00	1 866 401.40	15 395.84
91 47 30	1 852 981.00	294.02	1 853 041.61	15 446.84
91 50 00	1 839 615.72	349.92	1 839 681.84	15 502.71
91 52 30	1 826 250.46	410.66	1 826 322.08	15 563.43
91 55 00	1 812 885.22	476.27	1 812 962.36	15 629.01
91 57 30	1 799 520.01	546.74	1 799 602.65	15 699.45
92 00 00	1 786 154.82	622.07	1 786 242.97	15 774.75

LOUISIANA - SOUTH ZONE

STATE PLANE COORDINATES FOR 2½-MINUTE INTERSECTIONS

FEET

LONGITUDE	LATITUDE 28 30 00 X	Y	LATITUDE 28 32 30 X	Y
92 00 00	1 785 802.17	- 59 990.33	1 785 890.34	- 44 836.96
92 02 30	1 772 414.98	- 59 910.01	1 772 508.65	- 44 756.68
92 05 00	1 759 027.81	- 59 824.82	1 759 126.99	- 44 671.52
92 07 30	1 745 640.67	- 59 734.76	1 745 745.36	- 44 581.51
92 10 00	1 732 253.57	- 59 639.83	1 732 363.77	- 44 486.61
92 12 30	1 718 866.50	- 59 540.04	1 718 982.21	- 44 386.87
92 15 00	1 705 479.47	- 59 435.39	1 705 600.69	- 44 282.25
92 17 30	1 692 092.48	- 59 325.86	1 692 219.21	- 44 172.77
92 20 00	1 678 705.53	- 59 211.47	1 678 837.77	- 44 058.42
92 22 30	1 665 318.62	- 59 092.20	1 665 456.37	- 43 939.21
92 25 00	1 651 931.75	- 58 968.07	1 652 075.01	- 43 815.13
92 27 30	1 638 544.94	- 58 839.08	1 638 693.71	- 43 686.19
92 30 00	1 625 158.17	- 58 705.21	1 625 312.45	- 43 552.37
92 32 30	1 611 771.45	- 58 566.47	1 611 931.24	- 43 413.70
92 35 00	1 598 384.78	- 58 422.87	1 598 550.08	- 43 270.15
92 37 30	1 584 998.16	- 58 274.40	1 585 168.97	- 43 121.75
92 40 00	1 571 611.60	- 58 121.07	1 571 787.92	- 42 968.47
92 42 30	1 558 225.10	- 57 962.86	1 558 406.93	- 42 810.33
92 45 00	1 544 838.65	- 57 799.79	1 545 025.99	- 42 647.33
92 47 30	1 531 452.26	- 57 631.85	1 531 645.11	- 42 479.46
92 50 00	1 518 065.94	- 57 459.04	1 518 264.30	- 42 306.72
92 52 30	1 504 679.68	- 57 281.37	1 504 883.55	- 42 129.12
92 55 00	1 491 293.48	- 57 098.83	1 491 502.86	- 41 946.66
92 57 30	1 477 907.35	- 56 911.42	1 478 122.24	- 41 759.32
93 00 00	1 464 521.29	- 56 719.14	1 464 741.69	- 41 567.13

LONGITUDE	LATITUDE 28 35 00 X	Y	LATITUDE 28 37 30 X	Y
92 00 00	1 785 978.50	- 29 683.78	1 786 066.66	- 14 530.78
92 02 30	1 772 602.32	- 29 603.52	1 772 695.99	- 14 450.55
92 05 00	1 759 226.17	- 29 518.41	1 759 325.35	- 14 365.47
92 07 30	1 745 850.06	- 29 428.43	1 745 954.74	- 14 275.53
92 10 00	1 732 473.97	- 29 333.58	1 732 584.17	- 14 180.72
92 12 30	1 719 097.92	- 29 233.87	1 719 213.63	- 14 081.05
92 15 00	1 705 721.91	- 29 129.30	1 705 843.13	- 13 976.52
92 17 30	1 692 345.94	- 29 019.86	1 692 472.67	- 13 867.13
92 20 00	1 678 970.01	- 28 905.56	1 679 102.25	- 13 752.88
92 22 30	1 665 594.12	- 28 786.39	1 665 731.87	- 13 633.76
92 25 00	1 652 218.27	- 28 662.36	1 652 361.53	- 13 509.78
92 27 30	1 638 842.48	- 28 533.48	1 638 991.25	- 13 380.95
92 30 00	1 625 466.73	- 28 399.72	1 625 621.00	- 13 247.24
92 32 30	1 612 091.03	- 28 261.10	1 612 250.82	- 13 108.68
92 35 00	1 598 715.38	- 28 117.62	1 598 880.68	- 12 965.26
92 37 30	1 585 339.78	- 27 969.27	1 585 510.59	- 12 816.97
92 40 00	1 571 964.24	- 27 816.06	1 572 140.56	- 12 663.82
92 42 30	1 558 588.76	- 27 657.99	1 558 770.58	- 12 505.82
92 45 00	1 545 213.33	- 27 495.05	1 545 400.66	- 12 342.95
92 47 30	1 531 837.96	- 27 327.24	1 532 030.81	- 12 175.21
92 50 00	1 518 462.66	- 27 154.58	1 518 661.01	- 12 002.62
92 52 30	1 505 087.42	- 26 977.05	1 505 291.28	- 11 825.16
92 55 00	1 491 712.24	- 26 794.66	1 491 921.61	- 11 642.85
92 57 30	1 478 337.13	- 26 607.40	1 478 552.01	- 11 455.67
93 00 00	1 464 962.09	- 26 415.29	1 465 182.48	- 11 263.63

LONGITUDE	LATITUDE 28 40 00 X	Y	LATITUDE 28 42 30 X	Y
92 00 00	1 786 154.82	622.07	1 786 242.97	15 774.75
92 02 30	1 772 789.66	702.26	1 772 883.33	15 854.91
92 05 00	1 759 424.53	787.30	1 759 523.71	15 939.92
92 07 30	1 746 059.43	877.21	1 746 164.12	16 029.79
92 10 00	1 732 694.37	971.98	1 732 804.57	16 124.52
92 12 30	1 719 329.34	1 071.61	1 719 445.05	16 224.11
92 15 00	1 705 964.35	1 176.09	1 706 085.56	16 328.55
92 17 30	1 692 599.40	1 285.44	1 692 726.13	16 437.85
92 20 00	1 679 234.49	1 399.65	1 679 366.72	16 552.01
92 22 30	1 665 869.62	1 518.71	1 666 007.37	16 671.03
92 25 00	1 652 504.79	1 642.64	1 652 648.05	16 794.91
92 27 30	1 639 140.02	1 771.42	1 639 288.78	16 923.63
92 30 00	1 625 775.28	1 905.07	1 625 929.56	17 057.22
92 32 30	1 612 410.60	2 043.58	1 612 570.39	17 195.67
92 35 00	1 599 045.97	2 186.94	1 599 211.27	17 338.98
92 37 30	1 585 681.39	2 335.17	1 585 852.20	17 487.14
92 40 00	1 572 316.87	2 488.25	1 572 493.19	17 640.16
92 42 30	1 558 952.41	2 646.19	1 559 134.23	17 798.04
92 45 00	1 545 588.00	2 808.99	1 545 775.33	17 960.78
92 47 30	1 532 223.65	2 976.66	1 532 416.49	18 128.38
92 50 00	1 518 859.37	3 149.18	1 519 057.72	18 300.83
92 52 30	1 505 495.14	3 326.56	1 505 699.00	18 478.13
92 55 00	1 492 130.98	3 508.80	1 492 340.35	18 660.30
92 57 30	1 478 766.89	3 695.91	1 478 981.77	18 847.32
93 00 00	1 465 402.87	3 887.87	1 465 623.26	19 039.20

LOUISIANA - SOUTH ZONE

STATE PLANE COORDINATES FOR 2½-MINUTE INTERSECTIONS — FEET

LONGITUDE	LATITUDE X 28 30 00 Y	LATITUDE X 28 32 30 Y
93 00 00	1 464 521.29 - 56 719.14	1 464 741.69 - 41 567.13
93 02 30	1 451 135.31 - 56 521.99	1 451 361.22 - 41 370.06
93 05 00	1 437 749.39 - 56 319.99	1 437 980.81 - 41 168.13
93 07 30	1 424 363.55 - 56 113.10	1 424 600.48 - 40 961.34
93 10 00	1 410 977.79 - 55 901.36	1 411 220.22 - 40 749.68
93 12 30	1 397 592.10 - 55 684.75	1 397 840.05 - 40 533.16
93 15 00	1 384 206.50 - 55 463.27	1 384 459.95 - 40 311.77
93 17 30	1 370 820.97 - 55 236.92	1 371 079.93 - 40 085.51
93 20 00	1 357 435.53 - 55 005.70	1 357 700.00 - 39 854.39
93 22 30	1 344 050.17 - 54 769.62	1 344 320.15 - 39 618.41
93 25 00	1 330 664.90 - 54 528.67	1 330 940.39 - 39 377.55
93 27 30	1 317 279.71 - 54 282.86	1 317 560.72 - 39 131.84
93 30 00	1 303 894.62 - 54 032.17	1 304 181.13 - 38 881.26
93 32 30	1 290 509.62 - 53 776.62	1 290 801.64 - 38 625.81
93 35 00	1 277 124.72 - 53 516.20	1 277 422.25 - 38 365.50
93 37 30	1 263 739.91 - 53 250.91	1 264 042.94 - 38 100.32
93 40 00	1 250 355.19 - 52 980.76	1 250 663.74 - 37 830.29
93 42 30	1 236 970.57 - 52 705.75	1 237 284.63 - 37 555.38
93 45 00	1 223 586.06 - 52 425.86	1 223 905.63 - 37 275.61
93 47 30	1 210 201.65 - 52 141.11	1 210 526.73 - 36 990.97
93 50 00	1 196 817.35 - 51 851.49	1 197 147.93 - 36 701.47
93 52 30	1 183 433.15 - 51 557.00	1 183 769.24 - 36 407.11
93 55 00	1 170 049.06 - 51 257.65	1 170 390.66 - 36 107.88
93 57 30	1 156 665.07 - 50 953.43	1 157 012.18 - 35 803.78
94 00 00	1 143 281.20 - 50 644.34	1 143 633.82 - 35 494.82

LONGITUDE	LATITUDE X 28 35 00 Y	LATITUDE X 28 37 30 Y
93 00 00	1 464 962.09 - 26 415.29	1 465 182.48 - 11 263.63
93 02 30	1 451 587.12 - 26 218.30	1 451 813.02 - 11 066.73
93 05 00	1 438 212.23 - 26 016.46	1 438 443.64 - 10 864.97
93 07 30	1 424 837.40 - 25 809.75	1 425 074.32 - 10 658.34
93 10 00	1 411 462.66 - 25 598.18	1 411 705.09 - 10 446.86
93 12 30	1 398 087.99 - 25 381.75	1 398 335.93 - 10 230.52
93 15 00	1 384 713.40 - 25 160.44	1 384 966.85 - 10 009.30
93 17 30	1 371 338.89 - 24 934.29	1 371 597.85 - 9 783.24
93 20 00	1 357 964.47 - 24 703.26	1 358 228.94 - 9 552.31
93 22 30	1 344 590.13 - 24 467.37	1 344 860.11 - 9 316.52
93 25 00	1 331 215.88 - 24 226.62	1 331 491.36 - 9 075.86
93 27 30	1 317 841.71 - 23 981.01	1 318 122.71 - 8 830.35
93 30 00	1 304 467.64 - 23 730.52	1 304 754.15 - 8 579.97
93 32 30	1 291 093.66 - 23 475.19	1 291 385.67 - 8 324.74
93 35 00	1 277 719.77 - 23 214.98	1 278 017.29 - 8 064.64
93 37 30	1 264 345.98 - 22 949.92	1 264 649.01 - 7 799.69
93 40 00	1 250 972.28 - 22 679.99	1 251 280.82 - 7 529.87
93 42 30	1 237 598.68 - 22 405.20	1 237 912.73 - 7 255.19
93 45 00	1 224 225.19 - 22 125.54	1 224 544.75 - 6 975.65
93 47 30	1 210 851.80 - 21 841.02	1 211 176.86 - 6 691.25
93 50 00	1 197 478.51 - 21 551.64	1 197 809.09 - 6 401.99
93 52 30	1 184 105.33 - 21 257.40	1 184 441.41 - 6 107.86
93 55 00	1 170 732.25 - 20 958.29	1 171 073.85 - 5 808.88
93 57 30	1 157 359.28 - 20 654.32	1 157 706.38 - 5 505.04
94 00 00	1 143 986.43 - 20 345.49	1 144 339.04 - 5 196.33

LONGITUDE	LATITUDE X 28 40 00 Y	LATITUDE X 28 42 30 Y
93 00 00	1 465 402.87 3 887.87	1 465 623.26 19 039.20
93 02 30	1 452 038.92 4 084.69	1 452 264.82 19 235.95
93 05 00	1 438 675.05 4 286.37	1 438 906.45 19 437.54
93 07 30	1 425 311.24 4 492.91	1 425 548.16 19 644.00
93 10 00	1 411 947.52 4 704.30	1 412 189.94 19 855.30
93 12 30	1 398 583.87 4 920.56	1 398 831.80 20 071.47
93 15 00	1 385 220.30 5 141.68	1 385 473.74 20 292.50
93 17 30	1 371 856.81 5 367.65	1 372 115.76 20 518.37
93 20 00	1 358 493.40 5 598.49	1 358 757.87 20 749.12
93 22 30	1 345 130.08 5 834.18	1 345 400.05 20 984.71
93 25 00	1 331 766.85 6 074.73	1 332 042.33 21 225.17
93 27 30	1 318 403.70 6 320.14	1 318 684.69 21 470.48
93 30 00	1 305 040.65 6 570.42	1 305 327.14 21 720.65
93 32 30	1 291 677.68 6 825.54	1 291 969.69 21 975.67
93 35 00	1 278 314.81 7 085.54	1 278 612.33 22 235.56
93 37 30	1 264 952.04 7 350.38	1 265 255.06 22 500.29
93 40 00	1 251 589.36 7 620.09	1 251 897.89 22 769.89
93 42 30	1 238 226.78 7 894.65	1 238 540.82 23 044.34
93 45 00	1 224 864.30 8 174.08	1 225 183.85 23 323.65
93 47 30	1 211 501.93 8 458.37	1 211 826.99 23 607.82
93 50 00	1 198 139.66 8 747.51	1 198 470.23 23 896.84
93 52 30	1 184 777.49 9 041.51	1 185 113.57 24 190.72
93 55 00	1 171 415.43 9 340.37	1 171 757.02 24 489.46
93 57 30	1 158 053.48 9 644.09	1 158 400.57 24 793.05
94 00 00	1 144 691.64 9 952.67	1 145 044.25 25 101.50

LOUISIANA - SOUTH ZONE

STATE PLANE COORDINATES FOR 2½-MINUTE INTERSECTIONS

FEET

LONGITUDE	LATITUDE 28 45 00 X	LATITUDE 28 45 00 Y	LATITUDE 28 47 30 X	LATITUDE 28 47 30 Y
88 40 00	2 854 603.15	40 250.19	2 854 250.56	55 398.73
88 42 30	2 841 252.34	39 941.87	2 840 905.25	55 090.53
88 45 00	2 827 901.40	39 638.40	2 827 559.82	54 787.19
88 47 30	2 814 550.36	39 339.78	2 814 214.29	54 488.70
88 50 00	2 801 199.21	39 046.03	2 800 868.65	54 195.06
88 52 30	2 787 847.96	38 757.12	2 787 522.91	53 906.28
88 55 00	2 774 496.60	38 473.07	2 774 177.06	53 622.34
88 57 30	2 761 145.14	38 193.87	2 760 831.11	53 343.26
89 00 00	2 747 793.58	37 919.54	2 747 485.05	53 069.04

LONGITUDE	LATITUDE 28 50 00 X	LATITUDE 28 50 00 Y	LATITUDE 28 52 30 X	LATITUDE 28 52 30 Y
88 40 00	2 853 897.97	70 547.14	2 853 545.38	85 695.41
88 42 30	2 840 558.17	70 239.07	2 840 211.09	85 387.47
88 45 00	2 827 218.25	69 935.85	2 826 876.67	85 084.38
88 47 30	2 813 878.22	69 637.48	2 813 542.16	84 786.13
88 50 00	2 800 538.09	69 343.96	2 800 207.53	84 492.74
88 52 30	2 787 197.86	69 055.30	2 786 872.81	84 204.19
88 55 00	2 773 857.52	68 771.49	2 773 537.98	83 920.50
88 57 30	2 760 517.07	68 492.52	2 760 203.04	83 641.64
89 00 00	2 747 176.53	68 218.40	2 746 868.00	83 367.64

LONGITUDE	LATITUDE 28 55 00 X	LATITUDE 28 55 00 Y	LATITUDE 28 57 30 X	LATITUDE 28 57 30 Y
88 40 00	2 853 192.79	100 843.58	2 852 840.21	115 991.63
88 42 30	2 839 864.01	100 535.76	2 839 516.93	115 683.94
88 45 00	2 826 535.10	100 232.80	2 826 193.54	115 381.10
88 47 30	2 813 206.10	99 934.68	2 812 870.04	115 083.10
88 50 00	2 799 876.98	99 641.40	2 799 546.43	114 789.95
88 52 30	2 786 547.76	99 352.98	2 786 222.72	114 501.64
88 55 00	2 773 218.44	99 069.40	2 772 898.91	114 218.18
88 57 30	2 759 889.01	98 790.66	2 759 574.99	113 939.55
89 00 00	2 746 559.49	98 516.77	2 746 250.97	113 665.78

LOUISIANA - SOUTH ZONE

STATE PLANE COORDINATES FOR 2½-MINUTE INTERSECTIONS

FEET

LONGITUDE	LATITUDE 28 45 00 X	LATITUDE 28 45 00 Y	LATITUDE 28 47 30 X	LATITUDE 28 47 30 Y
89 00 00	2 747 793.58	37 919.54	2 747 485.05	53 069.04
89 02 30	2 734 441.92	37 650.05	2 734 138.90	52 799.66
89 05 00	2 721 090.16	37 385.43	2 720 792.65	52 535.15
89 07 30	2 707 738.31	37 125.65	2 707 446.31	52 275.47
89 10 00	2 694 386.36	36 870.73	2 694 099.87	52 020.66
89 12 30	2 681 034.32	36 620.66	2 680 753.34	51 770.70
89 15 00	2 667 682.20	36 375.45	2 667 406.72	51 525.59
89 17 30	2 654 329.98	36 135.10	2 654 060.01	51 285.33
89 20 00	2 640 977.67	35 899.60	2 640 713.22	51 049.93
89 22 30	2 627 625.29	35 668.95	2 627 366.34	50 819.38
89 25 00	2 614 272.81	35 443.17	2 614 019.38	50 593.69
89 27 30	2 600 920.27	35 222.23	2 600 672.34	50 372.84
89 30 00	2 587 567.64	35 006.15	2 587 325.22	50 156.85
89 32 30	2 574 214.93	34 794.93	2 573 978.02	49 945.72
89 35 00	2 560 862.14	34 588.56	2 560 630.74	49 739.43
89 37 30	2 547 509.28	34 387.05	2 547 283.39	49 538.01
89 40 00	2 534 156.35	34 190.39	2 533 935.97	49 341.43
89 42 30	2 520 803.35	33 998.59	2 520 588.48	49 149.71
89 45 00	2 507 450.28	33 811.64	2 507 240.91	48 962.83
89 47 30	2 494 097.14	33 629.55	2 493 893.28	48 780.82
89 50 00	2 480 743.93	33 452.32	2 480 545.59	48 603.66
89 52 30	2 467 390.67	33 279.94	2 467 197.83	48 431.35
89 55 00	2 454 037.34	33 112.41	2 453 850.01	48 263.89
89 57 30	2 440 683.95	32 949.74	2 440 502.13	48 101.29
90 00 00	2 427 330.50	32 791.93	2 427 154.19	47 943.54

LONGITUDE	LATITUDE 28 50 00 X	LATITUDE 28 50 00 Y	LATITUDE 28 52 30 X	LATITUDE 28 52 30 Y
89 00 00	2 747 176.53	68 218.40	2 746 868.00	83 367.64
89 02 30	2 733 835.88	67 949.14	2 733 532.87	83 098.49
89 05 00	2 720 495.14	67 684.73	2 720 197.64	82 834.19
89 07 30	2 707 154.31	67 425.17	2 706 862.31	82 574.74
89 10 00	2 693 813.38	67 170.46	2 693 526.89	82 320.13
89 12 30	2 680 472.36	66 920.60	2 680 191.38	82 070.38
89 15 00	2 667 131.25	66 675.60	2 666 855.78	81 825.47
89 17 30	2 653 790.05	66 435.44	2 653 520.09	81 585.41
89 20 00	2 640 448.76	66 200.13	2 640 184.31	81 350.21
89 22 30	2 627 107.40	65 969.68	2 626 848.45	81 119.84
89 25 00	2 613 765.94	65 744.08	2 613 512.51	80 894.34
89 27 30	2 600 424.41	65 523.32	2 600 176.48	80 673.67
89 30 00	2 587 082.80	65 307.42	2 586 840.38	80 457.87
89 32 30	2 573 741.11	65 096.38	2 573 504.20	80 246.91
89 35 00	2 560 399.34	64 890.18	2 560 167.94	80 040.79
89 37 30	2 547 057.50	64 688.83	2 546 831.61	79 839.53
89 40 00	2 533 715.59	64 492.33	2 533 495.21	79 643.11
89 42 30	2 520 373.60	64 300.69	2 520 158.73	79 451.55
89 45 00	2 507 031.55	64 113.90	2 506 822.19	79 264.83
89 47 30	2 493 689.43	63 931.96	2 493 485.58	79 082.97
89 50 00	2 480 347.24	63 754.87	2 480 148.90	78 905.95
89 52 30	2 467 004.99	63 582.63	2 466 812.16	78 733.79
89 55 00	2 453 662.69	63 415.24	2 453 475.36	78 566.46
89 57 30	2 440 320.31	63 252.71	2 440 138.50	78 404.00
90 00 00	2 426 977.89	63 095.03	2 426 801.58	78 246.38

LONGITUDE	LATITUDE 28 55 00 X	LATITUDE 28 55 00 Y	LATITUDE 28 57 30 X	LATITUDE 28 57 30 Y
89 00 00	2 746 559.49	98 516.77	2 746 250.97	113 665.78
89 02 30	2 733 229.86	98 247.73	2 732 926.85	113 396.85
89 05 00	2 719 900.13	97 983.54	2 719 602.63	113 132.77
89 07 30	2 706 570.32	97 724.19	2 706 278.33	112 873.53
89 10 00	2 693 240.41	97 469.70	2 692 953.92	112 619.14
89 12 30	2 679 910.40	97 220.04	2 679 629.43	112 369.58
89 15 00	2 666 580.31	96 975.24	2 666 304.85	112 124.88
89 17 30	2 653 250.13	96 735.28	2 652 980.17	111 885.02
89 20 00	2 639 919.86	96 500.17	2 639 655.41	111 650.01
89 22 30	2 626 589.51	96 269.90	2 626 330.57	111 419.84
89 25 00	2 613 259.07	96 044.49	2 613 005.64	111 194.52
89 27 30	2 599 928.56	95 823.91	2 599 680.64	110 974.04
89 30 00	2 586 597.97	95 608.20	2 586 355.55	110 758.41
89 32 30	2 573 267.29	95 397.32	2 573 030.39	110 547.62
89 35 00	2 559 936.54	95 191.29	2 559 705.15	110 341.68
89 37 30	2 546 605.72	94 990.12	2 546 379.83	110 140.58
89 40 00	2 533 274.83	94 793.78	2 533 054.45	109 944.33
89 42 30	2 519 943.86	94 602.30	2 519 728.99	109 752.92
89 45 00	2 506 612.83	94 415.65	2 506 403.47	109 566.36
89 47 30	2 493 281.72	94 233.87	2 493 077.87	109 384.64
89 50 00	2 479 950.56	94 056.92	2 479 752.22	109 207.78
89 52 30	2 466 619.33	93 884.83	2 466 426.50	109 035.75
89 55 00	2 453 288.04	93 717.58	2 453 100.72	108 868.57
89 57 30	2 439 956.68	93 555.18	2 439 774.87	108 706.24
90 00 00	2 426 625.27	93 397.63	2 426 448.97	108 548.75

LOUISIANA - SOUTH ZONE

STATE PLANE COORDINATES FOR 2½-MINUTE INTERSECTIONS — FEET

LONGITUDE	LATITUDE 28 45 00 X	LATITUDE 28 45 00 Y	LATITUDE 28 47 30 X	LATITUDE 28 47 30 Y
90 00 00	2 427 330.50	32 791.93	2 427 154.19	47 943.54
90 02 30	2 413 977.00	32 638.97	2 413 806.20	47 790.65
90 05 00	2 400 623.44	32 490.87	2 400 458.15	47 642.61
90 07 30	2 387 269.83	32 347.62	2 387 110.05	47 499.42
90 10 00	2 373 916.17	32 209.23	2 373 761.90	47 361.08
90 12 30	2 360 562.46	32 075.69	2 360 413.69	47 227.60
90 15 00	2 347 208.70	31 947.02	2 347 065.45	47 098.98
90 17 30	2 333 854.89	31 823.19	2 333 717.15	46 975.21
90 20 00	2 320 501.04	31 704.22	2 320 368.81	46 856.28
90 22 30	2 307 147.15	31 590.11	2 307 020.42	46 742.22
90 25 00	2 293 793.22	31 480.85	2 293 672.01	46 633.01
90 27 30	2 280 439.25	31 376.45	2 280 323.54	46 528.65
90 30 00	2 267 085.24	31 276.91	2 266 975.04	46 429.15
90 32 30	2 253 731.19	31 182.22	2 253 626.51	46 334.49
90 35 00	2 240 377.12	31 092.38	2 240 277.94	46 244.70
90 37 30	2 227 023.01	31 007.41	2 226 929.34	46 159.76
90 40 00	2 213 668.87	30 927.29	2 213 580.71	46 079.67
90 42 30	2 200 314.70	30 852.02	2 200 232.05	46 004.43
90 45 00	2 186 960.51	30 781.61	2 186 883.37	45 934.05
90 47 30	2 173 606.29	30 716.05	2 173 534.66	45 868.52
90 50 00	2 160 252.04	30 655.36	2 160 185.93	45 807.85
90 52 30	2 146 897.78	30 599.51	2 146 837.17	45 752.03
90 55 00	2 133 543.50	30 548.53	2 133 488.41	45 701.07
90 57 30	2 120 189.20	30 502.39	2 120 139.61	45 654.95
91 00 00	2 106 834.89	30 461.12	2 106 790.81	45 613.69

LONGITUDE	LATITUDE 28 50 00 X	LATITUDE 28 50 00 Y	LATITUDE 28 52 30 X	LATITUDE 28 52 30 Y
90 00 00	2 426 977.89	63 095.03	2 426 801.58	78 246.38
90 02 30	2 413 635.40	62 942.20	2 413 464.61	78 093.61
90 05 00	2 400 292.86	62 794.22	2 400 127.57	77 945.69
90 07 30	2 386 950.27	62 651.09	2 386 790.49	77 802.62
90 10 00	2 373 607.63	62 512.81	2 373 453.36	77 664.40
90 12 30	2 360 264.93	62 379.38	2 360 116.17	77 531.03
90 15 00	2 346 922.20	62 250.81	2 346 778.95	77 402.52
90 17 30	2 333 579.41	62 127.09	2 333 441.66	77 278.84
90 20 00	2 320 236.58	62 008.22	2 320 104.35	77 160.02
90 22 30	2 306 893.70	61 894.20	2 306 766.98	77 046.05
90 25 00	2 293 550.79	61 785.03	2 293 429.58	76 936.93
90 27 30	2 280 207.84	61 680.72	2 280 092.14	76 832.66
90 30 00	2 266 864.85	61 581.26	2 266 754.66	76 733.24
90 32 30	2 253 521.82	61 486.64	2 253 417.14	76 638.66
90 35 00	2 240 178.77	61 396.89	2 240 079.59	76 548.94
90 37 30	2 226 835.68	61 311.98	2 226 742.01	76 464.07
90 40 00	2 213 492.56	61 231.92	2 213 404.40	76 384.05
90 42 30	2 200 149.41	61 156.72	2 200 066.76	76 308.87
90 45 00	2 186 806.23	61 086.36	2 186 729.10	76 238.55
90 47 30	2 173 463.03	61 020.86	2 173 391.41	76 173.07
90 50 00	2 160 119.81	60 960.22	2 160 053.69	76 112.45
90 52 30	2 146 776.57	60 904.42	2 146 715.96	76 056.68
90 55 00	2 133 433.31	60 853.48	2 133 378.21	76 005.76
90 57 30	2 120 090.03	60 807.38	2 120 040.44	75 959.68
91 00 00	2 106 746.73	60 766.14	2 106 702.65	75 918.46

LONGITUDE	LATITUDE 28 55 00 X	LATITUDE 28 55 00 Y	LATITUDE 28 57 30 X	LATITUDE 28 57 30 Y
90 00 00	2 426 625.27	93 397.63	2 426 448.97	108 548.75
90 02 30	2 413 293.81	93 244.92	2 413 123.01	108 396.11
90 05 00	2 399 962.29	93 097.06	2 399 797.00	108 248.31
90 07 30	2 386 630.72	92 954.05	2 386 470.94	108 105.36
90 10 00	2 373 299.09	92 815.89	2 373 144.83	107 967.25
90 12 30	2 359 967.42	92 682.57	2 359 818.66	107 833.99
90 15 00	2 346 635.70	92 554.11	2 346 492.45	107 705.58
90 17 30	2 333 303.93	92 430.49	2 333 166.19	107 582.01
90 20 00	2 319 972.12	92 311.71	2 319 839.89	107 463.29
90 22 30	2 306 640.26	92 197.79	2 306 513.54	107 349.41
90 25 00	2 293 308.37	92 088.71	2 293 187.16	107 240.38
90 27 30	2 279 976.44	91 984.49	2 279 860.73	107 136.20
90 30 00	2 266 644.46	91 885.11	2 266 534.27	107 036.86
90 32 30	2 253 312.46	91 790.57	2 253 207.78	106 942.36
90 35 00	2 239 980.42	91 700.89	2 239 881.25	106 852.71
90 37 30	2 226 648.35	91 616.05	2 226 554.68	106 767.91
90 40 00	2 213 316.25	91 536.06	2 213 228.10	106 687.95
90 42 30	2 199 984.12	91 460.92	2 199 901.47	106 612.84
90 45 00	2 186 651.96	91 390.62	2 186 574.83	106 542.58
90 47 30	2 173 319.78	91 325.17	2 173 248.16	106 477.15
90 50 00	2 159 987.58	91 264.58	2 159 921.46	106 416.59
90 52 30	2 146 655.35	91 208.83	2 146 594.75	106 360.85
90 55 00	2 133 323.12	91 157.93	2 133 268.02	106 309.98
90 57 30	2 119 990.85	91 111.87	2 119 941.27	106 263.94
91 00 00	2 106 658.58	91 070.66	2 106 614.50	106 222.75

LOUISIANA - SOUTH ZONE

STATE PLANE COORDINATES FOR 2½-MINUTE INTERSECTIONS — FEET

LONGITUDE	LATITUDE X 28 45 00	Y	LATITUDE X 28 47 30	Y
91 00 00	2 106 834.89	30 461.12	2 106 790.81	45 613.69
91 02 30	2 093 480.56	30 424.70	2 093 441.99	45 577.29
91 05 00	2 080 126.22	30 393.14	2 080 093.16	45 545.74
91 07 30	2 066 771.86	30 366.43	2 066 744.31	45 519.05
91 10 00	2 053 417.50	30 344.58	2 053 395.46	45 497.20
91 12 30	2 040 063.13	30 327.58	2 040 046.60	45 480.21
91 15 00	2 026 708.76	30 315.44	2 026 697.74	45 468.08
91 17 30	2 013 354.38	30 308.16	2 013 348.87	45 460.80
91 20 00	2 000 000.00	30 305.73	2 000 000.00	45 458.37
91 22 30	1 986 645.62	30 308.16	1 986 651.13	45 460.80
91 25 00	1 973 291.24	30 315.44	1 973 302.26	45 468.08
91 27 30	1 959 936.87	30 327.58	1 959 953.40	45 480.21
91 30 00	1 946 582.50	30 344.58	1 946 604.54	45 497.20
91 32 30	1 933 228.14	30 366.43	1 933 255.69	45 519.05
91 35 00	1 919 873.78	30 393.14	1 919 906.84	45 545.74
91 37 30	1 906 519.44	30 424.70	1 906 558.01	45 577.29
91 40 00	1 893 165.11	30 461.12	1 893 209.19	45 613.69
91 42 30	1 879 810.80	30 502.39	1 879 860.39	45 654.95
91 45 00	1 866 456.50	30 548.53	1 866 511.59	45 701.07
91 47 30	1 853 102.22	30 599.51	1 853 162.83	45 752.03
91 50 00	1 839 747.96	30 655.36	1 839 814.07	45 807.85
91 52 30	1 826 393.71	30 716.05	1 826 465.34	45 868.52
91 55 00	1 813 039.49	30 781.61	1 813 116.63	45 934.05
91 57 30	1 799 685.30	30 852.02	1 799 767.95	46 004.43
92 00 00	1 786 331.13	30 927.29	1 786 419.29	46 079.67

LONGITUDE	LATITUDE X 28 50 00	Y	LATITUDE X 28 52 30	Y
91 00 00	2 106 746.73	60 766.14	2 106 702.65	75 918.46
91 02 30	2 093 403.42	60 729.75	2 093 364.85	75 882.08
91 05 00	2 080 060.10	60 698.22	2 080 027.04	75 850.56
91 07 30	2 066 716.76	60 671.53	2 066 689.22	75 823.89
91 10 00	2 053 373.42	60 649.70	2 053 351.38	75 802.06
91 12 30	2 040 030.07	60 632.71	2 040 013.54	75 785.09
91 15 00	2 026 686.72	60 620.58	2 026 675.70	75 772.96
91 17 30	2 013 343.36	60 613.31	2 013 337.85	75 765.69
91 20 00	2 000 000.00	60 610.88	2 000 000.00	75 763.26
91 22 30	1 986 656.64	60 613.31	1 986 662.15	75 765.69
91 25 00	1 973 313.28	60 620.58	1 973 324.30	75 772.96
91 27 30	1 959 969.93	60 632.71	1 959 986.46	75 785.09
91 30 00	1 946 626.58	60 649.70	1 946 648.62	75 802.06
91 32 30	1 933 283.24	60 671.53	1 933 310.78	75 823.89
91 35 00	1 919 939.90	60 698.22	1 919 972.96	75 850.56
91 37 30	1 906 596.58	60 729.75	1 906 635.15	75 882.08
91 40 00	1 893 253.27	60 766.14	1 893 297.35	75 918.46
91 42 30	1 879 909.97	60 807.38	1 879 959.56	75 959.68
91 45 00	1 866 566.69	60 853.48	1 866 621.79	76 005.76
91 47 30	1 853 223.43	60 904.42	1 853 284.04	76 056.68
91 50 00	1 839 880.19	60 960.22	1 839 946.31	76 112.45
91 52 30	1 826 536.97	61 020.86	1 826 608.59	76 173.07
91 55 00	1 813 193.77	61 086.36	1 813 270.90	76 238.55
91 57 30	1 799 850.59	61 156.72	1 799 933.24	76 308.87
92 00 00	1 786 507.44	61 231.92	1 786 595.60	76 384.05

LONGITUDE	LATITUDE X 28 55 00	Y	LATITUDE X 28 57 30	Y
91 00 00	2 106 658.58	91 070.66	2 106 614.50	106 222.75
91 02 30	2 093 326.28	91 034.30	2 093 287.72	106 186.41
91 05 00	2 079 993.98	91 002.79	2 079 960.93	106 154.91
91 07 30	2 066 661.67	90 976.13	2 066 634.12	106 128.26
91 10 00	2 053 329.35	90 954.31	2 053 307.31	106 106.45
91 12 30	2 039 997.02	90 937.35	2 039 980.49	106 089.49
91 15 00	2 026 664.68	90 925.22	2 026 653.66	106 077.37
91 17 30	2 013 332.34	90 917.96	2 013 326.83	106 070.11
91 20 00	2 000 000.00	90 915.53	2 000 000.00	106 067.68
91 22 30	1 986 667.66	90 917.96	1 986 673.17	106 070.11
91 25 00	1 973 335.32	90 925.22	1 973 346.34	106 077.37
91 27 30	1 960 002.98	90 937.35	1 960 019.51	106 089.49
91 30 00	1 946 670.65	90 954.31	1 946 692.69	106 106.45
91 32 30	1 933 338.33	90 976.13	1 933 365.88	106 128.26
91 35 00	1 920 006.02	91 002.79	1 920 039.07	106 154.91
91 37 30	1 906 673.72	91 034.30	1 906 712.28	106 186.41
91 40 00	1 893 341.42	91 070.66	1 893 385.50	106 222.75
91 42 30	1 880 009.15	91 111.87	1 880 058.73	106 263.94
91 45 00	1 866 676.88	91 157.93	1 866 731.98	106 309.98
91 47 30	1 853 344.65	91 208.83	1 853 405.25	106 360.85
91 50 00	1 840 012.42	91 264.58	1 840 078.54	106 416.59
91 52 30	1 826 680.22	91 325.17	1 826 751.84	106 477.15
91 55 00	1 813 348.04	91 390.62	1 813 425.17	106 542.58
91 57 30	1 800 015.88	91 460.92	1 800 098.53	106 612.84
92 00 00	1 786 683.75	91 536.06	1 786 771.90	106 687.95

LOUISIANA - SOUTH ZONE

STATE PLANE COORDINATES FOR 2½-MINUTE INTERSECTIONS

FEET

LONGITUDE	LATITUDE 28 45 00 X	LATITUDE 28 45 00 Y	LATITUDE 28 47 30 X	LATITUDE 28 47 30 Y
92 00 00	1 786 331.13	30 927.29	1 786 419.29	46 079.67
92 02 30	1 772 976.99	31 007.41	1 773 070.66	46 159.76
92 05 00	1 759 622.88	31 092.38	1 759 722.06	46 244.70
92 07 30	1 746 268.81	31 182.22	1 746 373.49	46 334.49
92 10 00	1 732 914.76	31 276.91	1 733 024.96	46 429.15
92 12 30	1 719 560.75	31 376.45	1 719 676.46	46 528.65
92 15 00	1 706 206.78	31 480.85	1 706 327.99	46 633.01
92 17 30	1 692 852.85	31 590.11	1 692 979.58	46 742.22
92 20 00	1 679 498.96	31 704.22	1 679 631.19	46 856.28
92 22 30	1 666 145.11	31 823.19	1 666 282.85	46 975.21
92 25 00	1 652 791.30	31 947.02	1 652 934.55	47 098.98
92 27 30	1 639 437.54	32 075.69	1 639 586.31	47 227.60
92 30 00	1 626 083.83	32 209.23	1 626 238.10	47 361.08
92 32 30	1 612 730.17	32 347.62	1 612 889.95	47 499.42
92 35 00	1 599 376.56	32 490.87	1 599 541.85	47 642.61
92 37 30	1 586 023.00	32 638.97	1 586 193.80	47 790.65
92 40 00	1 572 669.50	32 791.93	1 572 845.81	47 943.54
92 42 30	1 559 316.05	32 949.74	1 559 497.87	48 101.29
92 45 00	1 545 962.66	33 112.41	1 546 149.99	48 263.89
92 47 30	1 532 609.33	33 279.94	1 532 802.17	48 431.35
92 50 00	1 519 256.07	33 452.32	1 519 454.41	48 603.66
92 52 30	1 505 902.86	33 629.55	1 506 106.72	48 780.82
92 55 00	1 492 549.72	33 811.64	1 492 759.09	48 962.83
92 57 30	1 479 196.65	33 998.59	1 479 411.52	49 149.71
93 00 00	1 465 843.65	34 190.39	1 466 064.03	49 341.43

LONGITUDE	LATITUDE 28 50 00 X	LATITUDE 28 50 00 Y	LATITUDE 28 52 30 X	LATITUDE 28 52 30 Y
92 00 00	1 786 507.44	61 231.92	1 786 595.60	76 384.05
92 02 30	1 773 164.32	61 311.98	1 773 257.99	76 464.07
92 05 00	1 759 821.23	61 396.89	1 759 920.41	76 548.94
92 07 30	1 746 478.18	61 486.64	1 746 582.86	76 638.66
92 10 00	1 733 135.15	61 581.26	1 733 245.34	76 733.24
92 12 30	1 719 792.16	61 680.72	1 719 907.86	76 832.66
92 15 00	1 706 449.21	61 785.03	1 706 570.42	76 936.93
92 17 30	1 693 106.30	61 894.20	1 693 233.02	77 046.05
92 20 00	1 679 763.42	62 008.22	1 679 895.65	77 160.02
92 22 30	1 666 420.59	62 127.09	1 666 558.34	77 278.84
92 25 00	1 653 077.80	62 250.81	1 653 221.05	77 402.52
92 27 30	1 639 735.07	62 379.38	1 639 883.83	77 531.03
92 30 00	1 626 392.37	62 512.81	1 626 546.64	77 664.40
92 32 30	1 613 049.73	62 651.09	1 613 209.51	77 802.62
92 35 00	1 599 707.14	62 794.22	1 599 872.43	77 945.69
92 37 30	1 586 364.60	62 942.20	1 586 535.39	78 093.61
92 40 00	1 573 022.11	63 095.03	1 573 198.42	78 246.38
92 42 30	1 559 679.69	63 252.71	1 559 861.50	78 404.00
92 45 00	1 546 337.31	63 415.24	1 546 524.64	78 566.46
92 47 30	1 532 995.01	63 582.63	1 533 187.84	78 733.79
92 50 00	1 519 652.76	63 754.87	1 519 851.10	78 905.95
92 52 30	1 506 310.57	63 931.96	1 506 514.42	79 082.97
92 55 00	1 492 968.45	64 113.90	1 493 177.81	79 264.83
92 57 30	1 479 626.40	64 300.69	1 479 841.27	79 451.55
93 00 00	1 466 284.41	64 492.33	1 466 504.79	79 643.11

LONGITUDE	LATITUDE 28 55 00 X	LATITUDE 28 55 00 Y	LATITUDE 28 57 30 X	LATITUDE 28 57 30 Y
92 00 00	1 786 683.75	91 536.06	1 786 771.90	106 687.95
92 02 30	1 773 351.65	91 616.05	1 773 445.32	106 767.91
92 05 00	1 760 019.58	91 700.89	1 760 118.75	106 852.71
92 07 30	1 746 687.54	91 790.57	1 746 792.22	106 942.36
92 10 00	1 733 355.54	91 885.11	1 733 465.73	107 036.86
92 12 30	1 720 023.56	91 984.49	1 720 139.27	107 136.20
92 15 00	1 706 691.63	92 088.71	1 706 812.84	107 240.38
92 17 30	1 693 359.74	92 197.79	1 693 486.46	107 349.41
92 20 00	1 680 027.88	92 311.71	1 680 160.11	107 463.29
92 22 30	1 666 696.07	92 430.49	1 666 833.81	107 582.01
92 25 00	1 653 364.30	92 554.11	1 653 507.55	107 705.58
92 27 30	1 640 032.58	92 682.57	1 640 181.34	107 833.99
92 30 00	1 626 700.91	92 815.89	1 626 855.17	107 967.25
92 32 30	1 613 369.28	92 954.05	1 613 529.06	108 105.36
92 35 00	1 600 037.71	93 097.06	1 600 203.00	108 248.31
92 37 30	1 586 706.19	93 244.92	1 586 876.99	108 396.11
92 40 00	1 573 374.73	93 397.63	1 573 551.03	108 548.75
92 42 30	1 560 043.32	93 555.18	1 560 225.13	108 706.24
92 45 00	1 546 711.96	93 717.58	1 546 899.28	108 868.57
92 47 30	1 533 380.67	93 884.83	1 533 573.50	109 035.75
92 50 00	1 520 049.44	94 056.92	1 520 247.78	109 207.78
92 52 30	1 506 718.28	94 233.87	1 506 922.13	109 384.64
92 55 00	1 493 387.17	94 415.65	1 493 596.53	109 566.36
92 57 30	1 480 056.14	94 602.30	1 480 271.01	109 752.92
93 00 00	1 466 725.17	94 793.78	1 466 945.55	109 944.33

LOUISIANA - SOUTH ZONE

STATE PLANE COORDINATES FOR 2½-MINUTE INTERSECTIONS

FEET

LONGITUDE	LATITUDE 28 45 00 X	LATITUDE 28 45 00 Y	LATITUDE 28 47 30 X	LATITUDE 28 47 30 Y
93 00 00	1 465 843.65	34 190.39	1 466 064.03	49 341.43
93 02 30	1 452 490.72	34 387.05	1 452 716.61	49 538.01
93 05 00	1 439 137.86	34 588.56	1 439 369.26	49 739.43
93 07 30	1 425 785.07	34 794.93	1 426 021.98	49 945.72
93 10 00	1 412 432.36	35 006.15	1 412 674.78	50 156.85
93 12 30	1 399 079.73	35 222.23	1 399 327.66	50 372.84
93 15 00	1 385 727.19	35 443.17	1 385 980.62	50 593.69
93 17 30	1 372 374.71	35 668.95	1 372 633.66	50 819.38
93 20 00	1 359 022.33	35 899.60	1 359 286.78	51 049.93
93 22 30	1 345 670.02	36 135.10	1 345 939.99	51 285.33
93 25 00	1 332 317.80	36 375.45	1 332 593.28	51 525.59
93 27 30	1 318 965.68	36 620.66	1 319 246.66	51 770.70
93 30 00	1 305 613.64	36 870.73	1 305 900.13	52 020.66
93 32 30	1 292 261.69	37 125.65	1 292 553.69	52 275.47
93 35 00	1 278 909.84	37 385.43	1 279 207.35	52 535.15
93 37 30	1 265 558.08	37 650.05	1 265 861.10	52 799.66
93 40 00	1 252 206.42	37 919.54	1 252 514.95	53 069.04
93 42 30	1 238 854.86	38 193.87	1 239 168.89	53 343.26
93 45 00	1 225 503.40	38 473.07	1 225 822.94	53 622.34
93 47 30	1 212 152.04	38 757.12	1 212 477.09	53 906.28
93 50 00	1 198 800.79	39 046.03	1 199 131.35	54 195.06
93 52 30	1 185 449.64	39 339.78	1 185 785.71	54 488.70
93 55 00	1 172 098.60	39 638.40	1 172 440.18	54 787.19
93 57 30	1 158 747.66	39 941.87	1 159 094.75	55 090.53
94 00 00	1 145 396.85	40 250.19	1 145 749.44	55 398.73

LONGITUDE	LATITUDE 28 50 00 X	LATITUDE 28 50 00 Y	LATITUDE 28 52 30 X	LATITUDE 28 52 30 Y
93 00 00	1 466 284.41	64 492.33	1 466 504.79	79 643.11
93 02 30	1 452 942.50	64 688.83	1 453 168.39	79 839.53
93 05 00	1 439 600.66	64 890.18	1 439 832.06	80 040.79
93 07 30	1 426 258.89	65 096.38	1 426 495.80	80 246.91
93 10 00	1 412 917.20	65 307.42	1 413 159.62	80 457.87
93 12 30	1 399 575.59	65 523.32	1 399 823.52	80 673.67
93 15 00	1 386 234.06	65 744.08	1 386 487.49	80 894.34
93 17 30	1 372 892.60	65 969.68	1 373 151.55	81 119.84
93 20 00	1 359 551.24	66 200.13	1 359 815.69	81 350.21
93 22 30	1 346 209.95	66 435.44	1 346 479.91	81 585.41
93 25 00	1 332 868.75	66 675.60	1 333 144.22	81 825.47
93 27 30	1 319 527.64	66 920.60	1 319 808.62	82 070.38
93 30 00	1 306 186.62	67 170.46	1 306 473.11	82 320.13
93 32 30	1 292 845.69	67 425.17	1 293 137.69	82 574.74
93 35 00	1 279 504.86	67 684.73	1 279 802.36	82 834.19
93 37 30	1 266 164.12	67 949.14	1 266 467.13	83 098.49
93 40 00	1 252 823.47	68 218.40	1 253 132.00	83 367.64
93 42 30	1 239 482.93	68 492.52	1 239 796.96	83 641.64
93 45 00	1 226 142.48	68 771.49	1 226 462.02	83 920.50
93 47 30	1 212 802.14	69 055.30	1 213 127.19	84 204.19
93 50 00	1 199 461.91	69 343.96	1 199 792.47	84 492.74
93 52 30	1 186 121.78	69 637.48	1 186 457.84	84 786.13
93 55 00	1 172 781.75	69 935.85	1 173 123.33	85 084.38
93 57 30	1 159 441.83	70 239.07	1 159 788.91	85 387.47
94 00 00	1 146 102.03	70 547.14	1 146 454.62	85 695.41

LONGITUDE	LATITUDE 28 55 00 X	LATITUDE 28 55 00 Y	LATITUDE 28 57 30 X	LATITUDE 28 57 30 Y
93 00 00	1 466 725.17	94 793.78	1 466 945.55	109 944.33
93 02 30	1 453 394.28	94 990.12	1 453 620.17	110 140.58
93 05 00	1 440 063.46	95 191.29	1 440 294.85	110 341.68
93 07 30	1 426 732.71	95 397.32	1 426 969.61	110 547.62
93 10 00	1 413 402.03	95 608.20	1 413 644.45	110 758.41
93 12 30	1 400 071.44	95 823.91	1 400 319.36	110 974.04
93 15 00	1 386 740.93	96 044.49	1 386 994.36	111 194.52
93 17 30	1 373 410.49	96 269.90	1 373 669.43	111 419.84
93 20 00	1 360 080.14	96 500.17	1 360 344.59	111 650.01
93 22 30	1 346 749.87	96 735.28	1 347 019.83	111 885.02
93 25 00	1 333 419.69	96 975.24	1 333 695.15	112 124.88
93 27 30	1 320 089.60	97 220.04	1 320 370.57	112 369.58
93 30 00	1 306 759.59	97 469.70	1 307 046.08	112 619.14
93 32 30	1 293 429.68	97 724.19	1 293 721.67	112 873.53
93 35 00	1 280 099.87	97 983.54	1 280 397.37	113 132.77
93 37 30	1 266 770.14	98 247.73	1 267 073.15	113 396.85
93 40 00	1 253 440.51	98 516.77	1 253 749.03	113 665.78
93 42 30	1 240 110.99	98 790.66	1 240 425.01	113 939.55
93 45 00	1 226 781.56	99 069.40	1 227 101.09	114 218.18
93 47 30	1 213 452.24	99 352.98	1 213 777.28	114 501.64
93 50 00	1 200 123.02	99 641.40	1 200 453.57	114 789.95
93 52 30	1 186 793.90	99 934.68	1 187 129.96	115 083.10
93 55 00	1 173 464.90	100 232.80	1 173 806.46	115 381.10
93 57 30	1 160 135.99	100 535.76	1 160 483.07	115 683.94
94 00 00	1 146 807.21	100 843.58	1 147 159.79	115 991.63